

hover


barcelona lights

Outdoor book

hover
barcelona lights

Outdoor book

Appliques Wall Lamps



Nans, 32




Nut, 80



Platet, 110




Sisal, 116



Fora, 150



Garota, 175



Tria, 204

Plafones Ceiling Lamps



Nans, 30



Nans Sphere, 42




Nut, 88



Soft, 96




Mediterrània, 102




Fora, 161



Garota, 173



Elipse, 147



Perris, 107

Suspensión Pendant Lamps



Nans, 6




Nans Sphere, 40



Nans S/55, 46




Nans Balis, 52



Soft, 94




Mediterrània, 98




Fora, 158



Garota, 169




Syra, 184



Elipse, 144



Marietta, 210



Maxi, 219



Perris, 104

Mesa Table Lamps



Nans, 64




Nans Portable, 56




Tanit, 124



Atticus M/39, 141




Fora, 152



Garota, 166


Pie Floor Lamps




Amphora, 130



Atticus, 141



Fora, 154



Garota, 167



Maxi, 216

Recargables Battery



Nans, 64



Nans Portable, 56



Atticus, 141, 143




Tanit, 124



Nit, 74

Balizas Bollards



Atticus, 138



Cornet, 192



Moai, 200




Nut, 90

Hang



Nans, 10




Elipse, 144




Garota, 164

Catenarias Catenary



Nans, 12



Garota, 171



Nuestra historia

La ribera del Mediterráneo fue la cuna del Neolítico en Europa, vio nacer y crecer las primeras grandes civilizaciones.

A lo largo de sus costas, Fenicios, Persas, Egipcios, Griegos y finalmente los Romanos, levantaron sus asentamientos. Y fue así, como nos regalaron siglos y siglos de sabiduría, que pusieron a nuestro alcance, transformando nuestras costumbres y nuestros hábitos.

Culturas ancestrales que mezclándose entre nuestras calles, plazas y mercados, dieron lugar a nuestra historia. Contribuyendo con su saber a crear un nuevo arte, conocimiento y filosofía de vida que aún perdura.

Our story

The Mediterranean shores were the cradle of the Neolithic in Europe where the birth and growth of the first great civilizations took place.

Along its coasts, Phoenicians, Persians, Egyptians, Greeks and finally the Romans made their settlements. Thus they passed on centuries of wisdom which was offered to us to shape our customs and the way we live.

Ancestral cultures that permeated our streets, squares and markets to create our history. Contributing with their enlightenment to the creation of new art, knowledge and a philosophy of life that to this day remains unaltered.

Nans

by Joana Bover | 2021





Cala Nans es una pequeña Cala de Cadaqués, solo accesible por caminos de Ronda o por mar.

Un rincón virgen del Mediterráneo, donde la vegetación y la vigilia de un viejo Faro, hacen de este lugar un espacio natural, donde solo se puede escuchar el sonido del mar y las aves que sobrevuelan la costa.

Con las Nans, hemos querido poner de relieve el trabajo artesanal de sus pantallas, buscar un modo distinto de tejer la trama, combinarla con distintos colores y formatos dando vida a un estilo esencialmente mediterráneo.

Cala Nans is a small cove in Cadaqués accessible only by footpaths or by sea.

An unspoiled corner of the Mediterranean where the vegetation and an old lighthouse's vigil make this place a natural spot where all you can hear are the sound of the sea and of the birds that fly over the coast.

With Nans we wanted to highlight the craftsmanship of the lampshades and to look for a different way of weaving by combining different colours and formats to create a true Mediterranean style.





Nans S/16/H



Nans S/16/H



Nans Catenary S/16/4L



Cultura Mediterránea

A través de los siglos, el mar ha actuado como elemento cohesionador del paisaje y la cultura de sus pueblos. Las personas que vivimos a lo largo de su costa occidental, compartimos un modo de vida abierto al exterior que nos identifica. La esencia de la cultura mediterránea es la riqueza lingüística, la gastronomía y el conocimiento de los oficios.

Mediterranean Culture

Over the centuries, the sea has been the binding element in the landscape and culture of its towns.

Those of us who live along its western shores share a way of life that is characterized by our openness to the outside world. The essence of the Mediterranean culture are its linguistic richness, its cuisine and its skills in the trades.




Las Nans nos permiten realizar distintas composiciones de estructuras y pantallas, consiguiendo una amplia gama de usos y aplicaciones.

Nans lights enable us to create different compositions of structures and shades, achieving a wide range of uses and applications.





Nans S/16/H





Nans S/21 | S/31.2 | S/31





Nans S/3L | Indoor IP-20






Nans S/3L | Indoor IP-20









Nans S/31.2





Nans S/21 | S/31.2 | S/31 | S/16












Nans A/02



Acabados / Finishing


Sólo para pantallas Nans 31 / Only for Nans 31 shades




Roja / Red



Marrón / Brown




Beige / Beige



Roja / Red




Marrón / Brown




Beige / Beige






Nans A /01 IP-54

  8 W LED / CRI: 90 / 2700°K
635 lm fuente de luz / *light source*



Nans A /02 IP-54

  9,5 W LED / CRI: 90 / 2700°K
1450 lm fuente de luz / *light source*



Nans S /16 IP-54

  8 W LED / CRI: 90 / 2700°K
635 lm fuente de luz / *light source*

Only for North America

Nans A /01 WET


   8 W LED / CRI: 90 / 2700°K
622 lm light source

Nans A /02 WET

   9,5 W LED / CRI: 90 / 2700°K
1450 lm light source


Nans S /16 WET

   8 W LED / CRI: 90 / 2700°K
622 lm light source




Nans S /21 IP-54

  9,5 W LED / CRI: 90 / 2700°K
1450 lm fuente de luz / *light source*



Nans S /31 IP-54

  9,5 W LED / CRI: 90 / 2700°K
1450 lm fuente de luz / *light source*



Nans S /31.2 IP-54

  9,5 W LED / CRI: 90 / 2700°K
1450 lm fuente de luz / *light source*

Only for North America

Nans S /21 WET


   9,5 W LED / CRI: 90 / 2700°K
1450 lm light source

Nans S /31 WET

   9,5 W LED / CRI: 90 / 2700°K
1450 lm light source


Nans S /31.2 WET

   9,5 W LED / CRI: 90 / 2700°K
1450 lm light source




Nans S/3L IP-20

TRIAC 3 x 9,5 W LED / CRI: 90 / 2700°K
3 x 1450 lm fuente de luz / light source



Nans S/16/H IP-54

8 W LED / CRI: 90 / 2700°K
635 lm fuente de luz / light source



Nans Catenary S/16/4L IP-54

4 x 8 W LED / CRI: 90 / 2700°K
4 x 635 lm fuente de luz / light source

Only for North America

Nans S/3L DRY


0-10V TRIAC 3 x 9,5 W LED / CRI: 90 / 2700°K
3 x 1450 lm light source

Nans S/16/H WET

8 W LED / CRI: 90 / 2700°K
622 lm light source


Nans Catenary S/16/4L WET

4 x 8 W LED / CRI: 90 / 2700°K
4 x 622 lm light source



Nans PF/16 IP-54

TRIAC 8 W LED / CRI: 90 / 2700°K
635 lm fuente de luz
light source



Nans PF/21 IP-54

TRIAC 9,5 W LED / CRI: 90 / 2700°K
1450 lm fuente de luz
light source



Nans PF/31 IP-54

TRIAC 9,5 W LED / CRI: 90 / 2700°K
1450 lm fuente de luz
light source



Nans PF/31.2 IP-54

TRIAC 9,5 W LED / CRI: 90 / 2700°K
1450 lm fuente de luz
light source

Only for North America

Nans PF/16 WET

0-10V TRIAC 8 W LED / CRI: 90 / 2700°K
622 lm light source

Nans PF/21 WET

0-10V TRIAC 9,5 W LED / CRI: 90 / 2700°K
1450 lm light source

Nans PF/31 WET

0-10V TRIAC 9,5 W LED / CRI: 90 / 2700°K
1450 lm light source

Nans PF/31.2 WET

0-10V TRIAC 9,5 W LED / CRI: 90 / 2700°K
1450 lm light source

Quizás porque somos del mediterráneo;
el outdoor es uno de los campos en los que Bover
es más conocida.

El denominador común de esta colección
es la combinación de resistencia y sensibilidad.
Resistencia ya que está diseñada para poder vivir
cómodamente a la intemperie, y sensibilidad
expresada en la delicadeza con que tamiza la luz
y la calidez general de la lámpara. Estas características
hacen que tanto dentro como fuera de un espacio
arquitectónico, ayuden a crear una sensación
de continuidad.




It is probably because we come from the Mediterranean that the outdoors is one of the areas for which Bover is best known.

This collection's common denominator is the combination of resistance and sensitivity. Resistance because it is designed to be able to stay happily outdoors, and its sensitivity shows in the delicacy with which it filters the light and the overall warmth of the lamp. These features help to create a sense of continuity both on the inside and outside of an architectural space.








Roja / Red



Marrón / Brown



Beige / Beige




Nans Sphere S/60 IP-54

  14 W LED / CRI: 90 / 2700°K
1400 lm fuente de luz / light source

Only for North America

Nans Sphere S/60 WET

   14 W LED / CRI: 90 / 2700°K
1400 lm light source



Nans Sphere S/80 IP-54

  24 W LED / CRI: 90 / 2700°K
2400 lm fuente de luz / light source


Nans Sphere S/80 WET

   24 W LED / CRI: 90 / 2700°K
2400 lm light source

Nans Sphere S/60



Nans Sphere PF/60




Nans Sphere PF/60 IP-54

  14 W LED / CRI: 90 / 2700°K
1400 lm fuente de luz / light source

Only for North America

Nans Sphere PF/60 WET

   14 W LED / CRI: 90 / 2700°K
1400 lm light source



Nans Sphere PF/80 IP-54

  24 W LED / CRI: 90 / 2700°K
2400 lm fuente de luz / light source

Nans Sphere PF/80 WET

   24 W LED / CRI: 90 / 2700°K
2400 lm light source

Nans Sphere PF/60



Nans



Nans Sphere S/60 | S/80



Nans S/55







La pantalla de la Nans S/55, está tejida a mano con una trama más elaborada, que combina distintos modos de tejer la fibra en un mismo plano.


Se diferencia del resto de la colección, porque incorpora un difusor de polietileno de forma elíptica, que matiza la luz y evita el deslumbramiento.

The Nans S/55 shade is hand woven with a more elaborate weave, combining different ways of weaving the fibre in the same layer.

It is different from the rest of the collection, because it incorporates an elliptical polyethylene diffuser, which filters the light and prevents glare.



Nans S/55



Nans S/55 IP-54


  8 W LED / CRI: 90 / 2700°K
635 lm fuente de luz / *light source*

Only for North America


Nans S/55 WET

  8 W LED / CRI: 90 / 2700°K
635 lm light source


Acabados / Finishing



Roja / Red



Marrón / Brown



Beige / Beige





Pensada para resolver la iluminación lineal en espacios que requieran una luz suspendida en el ambiente y que, al mismo tiempo, nos permitan flexibilidad o cambios, en función de las necesidades de cada evento. El difusor es de polietileno e incorpora en su interior la placa Led de 24v.

Designed for linear lighting solutions in spaces that require a light suspended in the air while allowing for flexibility or changes, depending on the needs of each event. The diffuser is made of polyethylene and incorporates inside the 24v LED plate.



Nans Balis S/140





Nans Balis S/140 IP-54


  24 V / 44 W LED / CRI: 90 / 2400°K
4400 lm fuente de luz / light source

Only for North America


Nans Balis S/140 WET

  24 V / 44 W LED / CRI: 90 / 2400°K
4400 lm light source


Acabados / Finishing



Roja / Red



Marrón / Brown



Beige / Beige

Nans Portable

by Joana Bover | 2021







Nans Portable M/41/R | M/49/R | Battery





Nans Portable M/49/R | Battery

Mare Nostrum
Mediterráneo
Nuestro mar

A veces me pregunto, qué hace que este mar
sea tan especial para todos los que vivimos en su ribera.
¿Ocurre lo mismo en todos los mares?

Para los que vivimos a orillas del Mediterráneo,
el mar, es nuestra visión infinita de las cosas y de la vida.
Es nuestro universo, el punto desde el que partimos
y al que siempre queremos regresar.

*Mare Nostrum
Mediterranean
Our sea*

*Sometimes I wonder what makes this sea
so special to all of us who live on its shores.
Does the same hold true for all seas?*

*For those of us who live on the shores of the Mediterranean,
the sea is our infinite vision of things and life.
It is our universe, the point from where we start
and where we always seek to return.*



Nans Portable M/41 | M/49



Nans Portable M/49/R | Battery



Nans M/21/R | Indoor | Battery



Nans M/21/R | Indoor | Battery




Nans M/21/R IP-20

3 W LED / CRI: 90 / 2700°K
460 lm fuente de luz / light source

Only for North America

Nans M/21/R DRY

3 W LED / CRI: 90 / 2700°K
460 lm light source



Nans Portable M/41 IP-54

6,3 W LED / CRI: 90 / 2700°K
950 lm fuente de luz / *light source*

Only for North America

Nans Portable M/41 WET

6,3 W LED / CRI: 90 / 2700°K
950 lm light source





Nans Portable M/41/R IP-54

3 W LED / CRI: 90 / 2700°K
460 lm fuente de luz / *light source*

Nans Portable M/41/R WET

3 W LED / CRI: 90 / 2700°K
460 lm light source

Nans Portable M/41/R | Battery



Nans Portable M/49 IP-54

6,3 W LED / CRI: 90 / 2700°K
950 lm fuente de luz / *light source*

Only for North America

Nans Portable M/49 WET

6,3 W LED / CRI: 90 / 2700°K
950 lm light source

Nans Portable M/49/R IP-54

3 W LED / CRI: 90 / 2700°K
460 lm fuente de luz / *light source*


Nans Portable M/49/R WET

3 W LED / CRI: 90 / 2700°K
460 lm light source







Acabados / Finishing



Roja / Red



Marrón / Brown



Beige / Beige





Nans Portable M/49/R | Battery





Nans Portable M/49/R | Battery

Nit

by Gonzalo Milà | 2023







Nit /80/R

Una superficie circular que flota sobre una falda iluminada, integrando la luz ordenadamente sin ocupar superficie útil y alumbrando lo mínimo para desenvolverse a su alrededor.

La lámpara es de batería y emite luz superior e inferior.

La luz superior emerge de forma discreta, asomándose por encima de la superficie, con el objetivo de bañar suavemente el sobre de la mesa y facilitar la visión de los objetos en la oscuridad.

El mismo cilindro de luz, se adentra en la parte interior de la estructura metálica, iluminando de forma indirecta, la pantalla tejida a mano con cordón marino o médula sintética.

A circular surface that floats on an illuminated skirt, integrating the light in an orderly manner without occupying a usable area and illuminating the minimum to open out around it.

The lamp is battery-powered and emits light above and below.

The upper light emerges discreetly, peeking above the surface, with the aim of gently bathing the table top and revealing objects in the dark.

The light cylinder penetrates into the inside of the metal structure, indirectly illuminating the screen woven by hand with nautical cord or synthetic rattan.





Nit /60/R

IP-44


3 W LED / CRI: 90 / 2700°K
460 lm fuente de luz / light source

Only for North America

Nit /60/R

WET

3 W LED / CRI: 90 / 2700°K
460 lm light source



Nit /80/R

IP-44

3 W LED / CRI: 90 / 2700°K
460 lm fuente de luz / light source

Nit /80/R

WET

3 W LED / CRI: 90 / 2700°K
460 lm light source


Acabados / Finishing



Sobre Teja / Cuerda Naranja
Terracota Top / Orange Rope



Sobre Piedra / Cuerda Rattan Marrón
Stone Top / Brown Rattan Rope



Sobre Marfil / Cuerda Rattan Beige
Ivory Top / Beige Rattan Rope

Nut

by Estudi Manel Molina | 2021







Las Nut se caracterizan por su cuerpo ergonómico y contundente. Son un producto altamente versátil, su manejo es fácil e intuitivo y pueden orientarse 180°. Pueden instalarse en ambientes Indoor y Outdoor.

The Nut collection is characterized by their ergonomic and solid build. They are a highly versatile product. Their handling is easy and intuitive, and they can be positioned 180°. They can be used both for Indoor as well as Outdoor environments.





Nut A/01 IP-54



6,3 W LED / CRI: 90 / 2700°K
950 lm fuente de luz / light source

Only for North America

Nut A/01 WET



6,3 W LED / CRI: 90 / 2700°K
950 lm light source

Image does not show north American backplate



Negro
Black



Marrón Grafito
Graphite Brown



Teja
Terracotta



Blanco
White




Gris claro
Light grey





Nut A/01





Nut PF/10 IP-54

  6,3 W LED / CRI: 90 / 2700°K
950 lm fuente de luz / light source

Only for North America

Nut PF/10 WET

   6,3 W LED / CRI: 90 / 2700°K
950 lm light source

Image does not show north American backplate






Con las Nut baliza hemos querido ampliar la familia y llevarnos las balizas al jardín, para mezclarlas con el verde de las plantas y los arbustos.

Las balizas emiten un halo de luz inferior matizada y directa con un ángulo de 55°. No son orientables.


With Nut bollards we've wanted to expand the family and take the bollards out into the garden to blend them with the green of the plants and bushes.

The bollards emit a halo of nuanced, direct lower light at an angle of 55°. They are non-directional.






Nut B/60 | B/90/2L



Nut B /60 IP-54

  6,3 W LED / CRI: 90 / 2700°K
950 lm fuente de luz / *light source*

Only for North America




Nut B /90 IP-54

  6,3 W LED / CRI: 90 / 2700°K
950 lm fuente de luz / *light source*

Nut B /90 WET

  6,3 W LED / CRI: 90 / 2700°K
950 lm light source



Nut B /90/2L IP-54


  2 x 6,3 W LED / CRI: 90 / 2700°K
2 x 950 lm fuente de luz / *light source*

Nut B /90/2L WET

  6,3 W LED / CRI: 90 / 2700°K
950 lm light source

Soft

by Danos Salgados | 2022






Soft S/30



Soft PF/30


Soft light fixtures are light and colourist, with a fresh appearance that projects a clear, direct lower light shaded by a polycarbonate diffuser. Made in silicone, the print on their shade is a reminder of classic wine glasses made of Bohemian glass. Soft lights adapt to all preferences and both indoor and outdoor spaces. They can easily be disassembled for cleaning.

Las Soft son ligeras y coloristas, con un aspecto fresh que proyectan una luz inferior clara y directa, matizada por un difusor de policarbonato. Realizadas en silicona, el grabado de su pantalla nos recuerda al de las clásicas copas de cristal de Bohemia. Las Soft son lámparas adaptables a todos los gustos y espacios Indoor y Outdoor. Son fácilmente desmontables para su lavado.



Soft S/30 IP-44

1 x MAX 15 W LED E-27 A60



Soft PF/30 IP-44

1 x MAX 15 W LED E-27 A60

Only for North America

Soft S/30 WET

1 x MAX 15 W E26 LED A19

Soft PF/30 WET

1 x MAX 15 W E26 LED A19

Acabados / Finishing



Light gray
Gris claro



Ochre
Ocre



Olive gray
Gris oliva

Mediterrània

by Alex Fernández Camps | 2019








Naturaleza, tradición, diseño y tecnología
son la base de nuestros productos

*Nature, tradition, design and technology are
the foundation of our products*



Mediterrània S/105





Mediterrània PF/105 IP-66



17,1 W LED / CRI: 90 / 2700°K
2064 lm fuente de luz / light source

Only for North America

Mediterrània PF/105 WET




17,1 W LED / CRI: 90 / 2700°K
2064 lm light source

Acabados / Finishing



Marrón / Fibra Sintética Marrón
Brown / Brown Sybthetic Fiber



Mediterrània S/105 IP-66



17,1 W LED / CRI: 90 / 2700°K
2064 lm fuente de luz / light source

Mediterrània S/105 WET



17,1 W LED / CRI: 90 / 2700°K
2064 lm light source

Mediterrània PF/105

Perris

by Joana Bover | 2023





La lámpara Perris es el clásico ejemplo de producto atemporal, que se adapta sin estridencias y confort a cualquier ámbito. Emite una luz tamizada a través de su pantalla de médula tejida a mano.


Su característica principal son sus prestaciones IN-OUT que nos permiten instalarla en entornos de interior o en nuestros patios, terrazas o porches.

The Perris lamp is the classic example of a timeless product, which undramatically and comfortably adapts to any environment. It emits a subdued light through its hand-woven rattan shade. Its main benefit is its IN-OUT features with which it can be installed indoors or on patios, terraces or porches.





Perris S/74



Perris PF/47 IP-54




17,1 W LED / CRI: 90 / 2700°K
2064 lm fuente de luz / light source

Only for North America

Perris PF/47 WET



17,1 W LED / CRI: 90 / 2700°K
2064 lm light source



Perris S/47 IP-54



17,1 W LED / CRI: 90 / 2700°K
2064 lm fuente de luz / light source

Perris S/47 WET



17,1 W LED / CRI: 90 / 2700°K
2064 lm light source

Acabados / Finishing



Marrón Grafito
Graphite Brown



Beige Claro
Light Beige



Marrón Rattan
Rattan Brown

Platet

by Christophe Mathieu | 2020





Platet A/02 / Indoor



Platet A/01 / Outdoor



Formas simples, que nos resultan familiares y nos hacen viajar a través del tiempo. Adaptado a la fuente de luz LED, hay algo de romántico en la Platet. La paleta de color incorpora tonos sobrios y cálidos, siempre con la parte interior de la pantalla de color blanco que nos proporciona una buena calidad de luz.

Simple shapes that have a familiar feeling and make us travel through time. There is something romantic about the LED adapted Platet. Its colour palette includes sober and warm tones and the inner side of the lampshade is always white for good light quality.



Marrón / Brown




Verde / Green



Negro / Black



Platet A/01 Outdoor / Custom length



Platet A/01 IP66

4,2 W LED / CRI: 90 / 2700°K
504 lm fuente de luz / light source



Only for North America

Platet A/01 WET


4,2 W LED / CRI: 90 / 2700°K
504 lm light source

Sisal

by Joana Bover | 2019









Sisal A/01



Sisal A/01



Sisal A/01 IP66



9,1 W LED / CRI: 90 / 2700°K
990 lm fuente de luz / light source

Only for North America

Sisal A/01 WET



9,1 W LED / CRI: 90 / 2700°K
990 lm light source


Acabados / Finishing



Frontal Metal Marrón
Brown Metal Frontal



Frontal Fibra Marrón
Brown Fiber Frontal



Frontal Fibra Beige Claro
Light Beige Fiber Frontal






Sisal A/01





Tanit

by Gonzalo Milà | 2019





Tanit M/29/R | Indoor | Battery



Tanit M/29/R IP20

1,5 W LED / CRI: 80 / 2700°K
54 lm fuente de luz / light source

Only for North America

Tanit M/29/R DRY

1,5 W LED / CRI: 80 / 2700°K
54 lm light source



Tanit M/29/R | Indoor | Battery

Tanit es una lámpara de sobremesa portátil
y recargable, de luz suave y tamizada
por una pantalla tejida de forma artesanal
con hilo de algodón.

*Tanit is a portable and rechargeable table
lamp that gives out a soft light filtered
through a handwoven cotton thread
lampshade.*



Tanit M/29/R | Indoor | Battery



Tanit M/29/R | Indoor | Battery



Amphora

by Alex Fernández Camps / Gonzalo Milà | 2013







Sus grandes volúmenes y formas rinden un sutil y discreto homenaje a las ánforas de terracota que antiguamente se utilizaban para almacenar alimentos.

The size and shape of this collection pay a subtle and discreet homage to the terracotta amphoras used once upon a time to store food.



Amphora 03






Amphora 02


Opciones LED consultar dibujo
técnico en la ficha técnica

LED options consult technical
drawing in the cutsheet



Amphora IP-66

8 W LED / CRI: 90 / 2700°K
635 lm fuente de luz / *light source*



Amphora 01 IP-66

2 x MAX 15 W LED E-27 A60
17,1 W LED / CRI: 90 / 2700°K
2064 lm fuente de luz / *light source*
TRIAC | 17,1 W LED / CRI: 90 / 2700°K
2064 lm fuente de luz / *light source*

Only for North America

Amphora WET


8 W LED / CRI: 90 / 2700°K
622 lm light source

Amphora 01 WET

2 x 10 W E26 LED A19
0-10V | TRIAC | 17,1 W LED / CRI: 90 / 2700°K
2064 lm light source

Opciones LED consultar dibujo
técnico en la ficha técnica

LED options consult technical
drawing in the cutsheet




Amphora 02 IP-66

-  2 x MAX 15 W LED E-27 A60
-  24,7 W LED / CRI: 90 / 2700°K
3000 lm fuente de luz / *light source*
-   24,7 W LED / CRI: 90 / 2700°K
3000 lm fuente de luz / *light source*

Opciones LED consultar dibujo
técnico en la ficha técnica

LED options consult technical
drawing in the cutsheet



Amphora 03 IP-66

-  2 x MAX 15 W LED E-27 A60
-  24,7 W LED / CRI: 90 / 2700°K
3000 lm fuente de luz / *light source*
-   24,7 W LED / CRI: 90 / 2700°K
3000 lm fuente de luz / *light source*

Only for North America

Amphora 02 WET

-  2 x 10 W E26 LED A19
-    24,7 W LED / CRI: 90 / 2700°K
3000 lm light source

Amphora 03 WET

-  2 x 10 W E26 LED A19
-    24,7 W LED / CRI: 90 / 2700°K
3000 lm light source

Acabados / *Finishing*



Marrón Grafito
Graphite Brown




Beige Claro
Light Beige



Marrón Rattan
Rattan Brown

Atticus

by Joana Bover | 2017








Atticus B/40 | B/50



Atticus M/39 | P/114/R | Battery



Atticus M/39 IP-54

 8,4 W LED / CRI: 90 / 2700°K
1200 lm fuente de luz / light source

Only for North America

Atticus M/39 WET

 8,4 W LED / CRI: 90 / 2700°K
1122 lm light source



Atticus B/40 - B/50 IP-54

 8,4 W LED / CRI: 90 / 2700°K
1122 lm fuente de luz / light source

Only for North America


Atticus B/56 - B/66 WET

 8,4 W LED / CRI: 90 / 2700°K
1122 lm light source



Atticus P/114 IP-54

 8,4 W LED / CRI: 90 / 2700°K
1122 lm fuente de luz / light source



Atticus P/114/R IP-54

 3 W LED / CRI: 90 / 2700°K
460 lm fuente de luz / light source

Atticus P/114 WET

 8,4 W LED / CRI: 90 / 2700°K
1122 lm light source

Atticus P/114/R WET

 3 W LED / CRI: 90 / 2700°K
460 lm light source

Acabados / Finishing



Blanco Roto
Natural White



Marrón Grafito
Graphite Brown



Beige Claro
Light Beige



Marrón Rattan
Rattan Brown



Atticus P/114/R | Battery

Elipse

by Alex Fernández Camps / Gonzalo Milà | 2013





Elipse S/30/H | S/50/H




Elipse outdoor es una solución sencilla,
libre y flexible en su aplicación.
Puede actuar de sobremesa colgada
de una rama durante una cena, iluminar
un rincón de un jardín junto a una hamaca,
o crear una atmósfera mágica
con un conjunto de Elipses suspendidas
en la noche. La belleza de la sencillez.

*Elipse outdoor is a simple,
unrestrained and versatile product.
It can be hung from a branch over
a table for a dinner, to light a garden
corner by a hammock or to create
a magical atmosphere with a set
of ellipses hanging in the night.
The beauty of simplicity.*

Opciones LED consultar dibujo
técnico en la ficha técnica

LED options consult technical
drawing in the cutsheet




Elipse S/30 IP-66

- 2 x MAX 15 W LED E-27 A60
- 17,1 W LED / CRI: 90 / 2700°K
2064 lm fuente de luz / *light source*

Opciones LED consultar dibujo
técnico en la ficha técnica

LED options consult technical
drawing in the cutsheet




Elipse S/50 IP-66

- 2 x MAX 15 W LED E-27 A60
- 24,7 W LED / CRI: 90 / 2700°K
3000 lm fuente de luz / *light source*

Opciones LED consultar dibujo
técnico en la ficha técnica

LED options consult technical
drawing in the cutsheet



Elipse S/30/H IP-66

- 2 x MAX 15 W LED E-27 A60
- 17,1 W LED / CRI: 90 / 2700°K
2064 lm fuente de luz / *light source*

Only for North America

Elipse S/30 WET

- 2 x 10 W E26 LED A19
- 17,1 W LED / CRI: 90 / 2700°K
2064 lm light source

Elipse S/50 WET


- 2 x 10 W E26 LED A19
- 24,7 W LED / CRI: 90 / 2700°K
3000 lm light source

Elipse S/30/H WET

- 2 x 10 W E26 LED A19

Opciones LED consultar dibujo
técnico en la ficha técnica

LED options consult technical
drawing in the cutsheet




Elipse S/50/H IP-66

2 x MAX 15 W LED E-27 A60

24,7 W LED / CRI: 90 / 2700°K
3000 lm fuente de luz / light source

Opciones LED consultar dibujo
técnico en la ficha técnica

LED options consult technical
drawing in the cutsheet




Elipse PF/30 IP-66

2 x MAX 15 W LED E-27 A60

17,1 W LED / CRI: 90 / 2700°K
2064 lm fuente de luz / light source

Opciones LED consultar dibujo
técnico en la ficha técnica

LED options consult technical
drawing in the cutsheet



Elipse PF/50 IP-66

2 x MAX 15 W LED E-27 A60

24,7 W LED / CRI: 90 / 2700°K
3000 lm fuente de luz / light source

Only for North America

Elipse S/50/H WET

2 x 10 W E26 LED A19

Elipse PF/30 WET

2 x 10 W E26 LED A19

17,1 W LED / CRI: 90 / 2700°K
2064 lm light source

Elipse PF/50 WET

2 x 10 W E26 LED A19

24,7 W LED / CRI: 90 / 2700°K
3000 lm light source

Acabados / Finishing



Blanco Roto
Natural White



Blanco
White

Fora

by Alex Fernández Camps / Gonzalo Milà | 2013







Fora M







Fora P















Fora PF


Opciones LED consultar dibujo
técnico en la ficha técnica

LED options consult technical
drawing in the cutsheet



Opciones LED consultar dibujo
técnico en la ficha técnica

LED options consult technical
drawing in the cutsheet



Fora A	IP-66
	2 x MAX 15 W LED E-27 A60
	 17,1 W LED / CRI: 90 / 2700°K 2064 lm fuente de luz / <i>light source</i>

Fora PF	IP-66
	2 x MAX 15 W LED E-27 A60
	 17,1 W LED / CRI: 90 / 2700°K 2064 lm fuente de luz / <i>light source</i>

Fora S	IP-66
	2 x MAX 15 W LED E-27 A60
	 17,1 W LED / CRI: 90 / 2700°K 2064 lm fuente de luz / <i>light source</i>

Only for North America




Fora A	WET
	2 x 10 W E26 LED A19
	 17,1 W LED / CRI: 90 / 2700°K 2064 lm light source

Fora PF	WET
	2 x 10 W E26 LED A19
	 17,1 W LED / CRI: 90 / 2700°K 2064 lm light source

Fora S	WET
	2 x 10 W E26 LED A19
	 17,1 W LED / CRI: 90 / 2700°K 2064 lm light source

Opciones LED consultar dibujo
técnico en la ficha técnica

LED options consult technical
drawing in the cutsheet



Fora 90	IP-66
	2 x MAX 15 W LED E-27 A60
	 24,7 W LED / CRI: 90 / 2700°K 3000 lm fuente de luz / light source

Fora M	IP-66
	2 x MAX 15 W LED E-27 A60
	17,1 W LED / CRI: 90 / 2700°K 2064 lm fuente de luz / light source

Fora P	IP-66
	2 x MAX 15 W LED E-27 A60
	17,1 W LED / CRI: 90 / 2700°K 2064 lm fuente de luz / light source

Only for North America

Fora 90	WET
	2 x 10 W E26 LED A19
	 24,7 W LED / CRI: 90 / 2700°K 3000 lm light source

Fora M	WET
	2 x 10 W E26 LED A19

Fora P	WET
	2 x 10 W E26 LED A19

Acabados / Finishing



Blanco Roto
Natural White



Marrón Grafito
Graphite Brown



Beige Claro
Light Beige



Marrón Rattan
Rattan Brown

Garota

by Alex Fernández Camps / Gonzalo Milà | 2013







Garota M/36



Garota P/01







Garota, inspirada en el caparazón de un erizo de mar, nos ofrece una luz cálida y tamizada, envuelta en formas orgánicas, redondeadas y sutiles, pensada para acompañarnos en zonas de interior y exterior indistintamente.

Garota, inspired by the shell of a sea urchin, offers a warm and diffused light, wrapped in organic, rounded and subtle shapes, designed to be with us either indoors or outdoors.



Garota Catenary S/27/4L



Diseño atemporal,
identidad mediterránea.
Una mirada distinta,
sobre los objetos cotidianos
que nos rodean.

*Timeless design,
Mediterranean identity.
A different look
at the everyday objects
that surround us.*





Garota Hang



Garota A/01



Glamp 2016, Zion Natural Park / United States
Photographed by Charlie Simmons





Hotel Gran Meliá de Mar – Illetes / Mallorca








Garota A/01 IP-66

 8,4 W LED / CRI: 90 / 2700°K
1122 lm fuente de luz / light source



Garota PF/01 IP-66

 8,4 W LED / CRI: 90 / 2700°K
1122 lm fuente de luz / light source



Garota PF/02 IP-66

 2 x MAX 15 W LED E-27 A60
 17,1 W LED / CRI: 90 / 2700°K
2064 lm fuente de luz / light source

Only for North America

Garota A/01 WET


 8,4 W LED / CRI: 90 / 2700°K
1122 lm light source

Garota PF/01 WET

 8,4 W LED / CRI: 90 / 2700°K
1122 lm light source

Garota PF/02 WET

 2 x 10 W E26 LED A19
 17,1 W LED / CRI: 90 / 2700°K
2064 lm light source



Garota Catenary S/27/4L IP-66

 4 x 6 W LED / CRI: 90 / 2700°K
4 x 450 lm fuente de luz / light source


Only for North America

Garota Catenary S/27/4L

 4 x 6 W LED / CRI: 90 / 2700°K
4 x 466 lm light source


Opciones LED consultar dibujo
técnico en la ficha técnica

LED options consult technical
drawing in the cutsheet




Garota Hang IP-66

8,4 W LED / CRI: 90 / 2700°K
1122 lm fuente de luz / light source



Garota S/01 IP-66

8,4 W LED / CRI: 90 / 2700°K
1122 lm fuente de luz / light source



Garota S/02 IP-66

2 x MAX 15 W LED E-27 A60
17,1 W LED / CRI: 90 / 2700°K
2064 lm fuente de luz / light source

Only for North America

Garota Hang WET

8,4 W LED / CRI: 90 / 2700°K
1122 lm light source

Garota S/01 WET

8,4 W LED / CRI: 90 / 2700°K
1122 lm light source

Garota S/02 WET


2 x 10 W E26 LED A19
17,1 W LED / CRI: 90 / 2700°K
2064 lm light source

Opciones LED consultar dibujo
técnico en la ficha técnica

LED options consult technical
drawing in the cutsheet

Opciones LED consultar dibujo
técnico en la ficha técnica

LED options consult technical
drawing in the cutsheet



Garota M/36 IP-66

8,4 W LED / CRI: 90 / 2700°K
1122 lm fuente de luz / *light source*

Garota P/01 IP-66

2 x MAX 15 W LED E-27 A60
17,1 W LED / CRI: 90 / 2700°K
2064 lm fuente de luz / *light source*
TRIAC 17,1 W LED / CRI: 90 / 2700°K
2064 lm fuente de luz / *light source*

Garota P/02 IP-66

2 x MAX 15 W LED E-27 A60
17,1 W LED / CRI: 90 / 2700°K
2064 lm fuente de luz / *light source*
TRIAC 17,1 W LED / CRI: 90 / 2700°K
2064 lm fuente de luz / *light source*

Only for North America

Garota Hang WET

8,4 W LED / CRI: 90 / 2700°K
1122 lm light source

Garota S/01 WET

2 x 10 W E26 LED A19

Garota S/02 WET

2 x 10 W E26 LED A19


Acabados / Finishing



Blanco Roto
Natural White



Marrón Grafito
Graphite Brown



Blanco Marfil
Ivory White






Marrón
Brown

Syra

by Alex Fernández Camps / Gonzalo Milà | 2014







Syra 45 IP-66



 24,7 W LED / CRI: 90 / 2700°K
3400 lm fuente de luz / light source

Syra 60 IP-66

 37,7 W LED / CRI: 90 / 2700°K
4700 lm fuente de luz / light source

Syra 90 IP-66

 39,7 W LED / CRI: 90 / 2700°K
5500 lm fuente de luz / light source



Only for North America

NOT AVAILABLE FOR NORTH AMERICA

Syra 60 WET

 37,7 W LED / CRI: 90 / 2700°K
4700 lm light source

Syra 90 WET

 39,7 W LED / CRI: 90 / 2700°K
5500 lm light source


Acabados / Finishing




Blanco Roto
Natural White



Marrón Grafito
Graphite Brown



Blanco Marfil
Ivory White



Marrón
Brown





This product is not available for the North American market

Las Syra son productos ideales para espacios que necesiten luz cálida y elementos amables que ofrezcan buenas dosis de confort.

Syra are ideal products for places that need warm light and friendly elements that offer plenty of comfort.

This product is not available for the North American market



Syra 45 Outdoor





This product is not available for the North American market

Syra 45 Outdoor

Cornet

by Alex Fernández Camps | 2017







Cornet B/52







Cornet B/27 IP-66

  8 W LED / CRI: 90 / 2700°K
860 lm fuente de luz / *light source*

Only for North America

Cornet B/27 WET

  8 W LED / CRI: 90 / 2700°K
860 lm light source

Cornet B/52 IP-66

  8 W LED / CRI: 90 / 2700°K
860 lm fuente de luz / *light source*

Cornet B/52 WET

  8 W LED / CRI: 90 / 2700°K
860 lm light source

Cornet B/77 IP-66

  8 W LED / CRI: 90 / 2700°K
860 lm fuente de luz / *light source*

Cornet B/77 WET

  8 W LED / CRI: 90 / 2700°K
860 lm light source



Cornet B/27 Outdoor

Finishing / Acabados



Gris Piedra
Stone Grey



“Cornet es un proyecto con alto contenido técnico. Sus líneas armónicas y orgánicas consiguen mimetizarse con la naturaleza donde no existen líneas rectas.”

“Cornet is a highly technical project. Its harmonious and organic shape allows it to blend in with nature where there are no straight lines.”



Cornet B/27



Moai



by Gonzalo Milà | 2017







Moai B/60



Moai B/35 IP66

  6,5 W LED / CRI: 90 / 2700°K
850 lm fuente de luz / light source

Moai B/60 IP66

  6,5 W LED / CRI: 90 / 2700°K
850 lm fuente de luz / light source

Only for North America

Moai B/35 WET

  6,5 W LED / CRI: 90 / 2700°K
850 lm light source


Moai B/60 WET

  6,5 W LED / CRI: 90 / 2700°K
850 lm light source


Moai es una lámpara de exterior donde hormigón, forma y luz trabajan juntas para dar protagonismo absoluto a esta sorprendente y novedosa unión.

Moai is an outdoor lamp where concrete, shape and light work together to highlight this surprising and innovative combination.

Finishing / Acabados



Cemento Gris
Grey Concrete



Moai B/60 | B/35

Tria

by Rubén Saldaña | 2014







Las Tria son uno de los productos con mejor aceptación de nuestro catálogo, por este motivo decidimos llevarlas hasta nuestras terrazas y jardines.




Sus formas orgánicas, como piedras de río gastadas, hacen de ellas un objeto singular. A diferencia de las Tria indoor y debido a su grado de protección IP-66, las Tria outdoor no pueden instalarse de forma modular, son luminarias individuales.

Tria is one of the most popular products of our catalogue, which is why we decided to take them outside to light our terraces and gardens.

Their organic shapes that remind us of polished river pebbles make them unique objects. Unlike the Tria Indoor and because of their IP-66 protection feature, the Tria Outdoor cannot be part of a modular system because they are single lighting units.



Tria 04 Outdoor



Tria 04 IP66

  11,5 W LED / CRI: 90 / 2700°K
1346 lm fuente de luz / *light source*

Only for North America

Tria 04 WET

  11,5 W LED / CRI: 90 / 2700°K
1346 lm light source

Trai 05 IP66

  11,5 W LED / CRI: 90 / 2700°K
1346 lm fuente de luz / *light source*

Tria 05 WET

  11,5 W LED / CRI: 90 / 2700°K
1346 lm light source

Acabados / *Finishing*



Frontal Metal Marrón Grafito
Graphite Brown Metal Frontal



Frontal Madera Teca
Teak Wood Frontal





Tria 04 Outdoor

Marietta

by Joana Bover | 2015





Marietta S/32



Marietta S/32



La Marietta es un
todoterreno, resistente,
fácil de limpiar y muy
polivalente.
Un producto atemporal
que puede convivir con
productos contemporáneos,
integrándose de manera
natural en la vida de las
personas.

Marietta goes anywhere
– it is sturdy, easy to clean
and very adaptable.
A timeless product that
can sit happily next to
contemporary products,
blending naturally with
people's different lifestyles.



Marietta S/32 IP-66

  8 W LED / CRI: 90 / 2700°K
635 lm fuente de luz / light source

Acabados / Finishing

Only for North America

Marietta S/32 WET

  8 W LED / CRI: 90 / 2700°K
664 lm light source

Image does not show north American canopy




Blanco
White



Marietta S/32

Maxi

by Joana Bover | 2004






Maxi P/180


Opciones LED consultar dibujo
técnico en la ficha técnica

LED options consult technical
drawing in the cutsheet



Opciones LED consultar dibujo
técnico en la ficha técnica

LED options consult technical
drawing in the cutsheet



Maxi P/180 IP-66

2 x 28W T5 HE

49,2 W LED / CRI: 90 / 2700°K
7500 lm fuente de luz / light source

TRIAC 49,2 W LED / CRI: 90 / 2700°K
7500 lm fuente de luz / light source

Only for North America

Maxi P/180 WET

2 x 54W Minibipin T5 L. Fluo

49,2 W LED / CRI: 90 / 2700°K
7500 lm fuente de luz / light source

0-10V 49,2 W LED / CRI: 90 / 2700°K
7500 lm fuente de luz / light source

Maxi S/01 IP-66

2 x 28W T5 HE

49,2 W LED / CRI: 90 / 2700°K
7500 lm fuente de luz / light source

TRIAC 49,2 W LED / CRI: 90 / 2700°K
7500 lm fuente de luz / light source

Maxi S/01 WET

2 x 54W Minibipin T5 L. Fluo

49,2 W LED / CRI: 90 / 2700°K
7500 lm fuente de luz / light source

0-10V 49,2 W LED / CRI: 90 / 2700°K
7500 lm fuente de luz / light source

Acabados / Finishing



Blanco
White



Maxi S/01

Diseño Gráfico / Graphic Designer
Miquel Llach

Fotografías / Photographers
Jordi Solé / J.E. Estudi Disseny

Agradecimientos / Special Thanks
Mireia Sust / Hoteles Vincci
Hoteles Meliá / Mallorca
Hostal Empúries / L'Escala
Maison Diez Company / México
Moss Floristas / Madrid
Hotel Arrey / Alella
Granja El Melindro / Cardedeu
Xavier Arimont / Hotel Mas Salvi (Pals/Girona)

Depósito Legal / Legal Deposit: 18084-09

Enero 2023

Avda. Catalunya 173
Polígon Ind. Sud
08440 Cardedeu
Barcelona, Spain
T. +34 938 713 152
F. +34 938 462 089
info@bover.es
www.bover.es

1231 Collier Road,
Suite C
Atlanta, GA 30318
United States
T. +1 (404) 924 2342
info@boverusa.com
www.boverusa.com

