

Prijslijst WL Pocket 2025/2026

101 WL Led MP OP

| Code nummer | Code omschrijving | L | B | H | Bruto prijs |
|---------------------|--|------|-----|----|-------------|
| 101MPOP.42.3900.531 | 101 WL LED MP OP 3000K 39W/4300lm 1400mA 596x596 +GST3P | 596 | 596 | 52 | € 184,00 |
| 101MPOP.42.3900.541 | 101 WL LED MP OP 4000K 39W/4300lm 1400mA 596x596 +GST3P | 596 | 596 | 52 | € 184,00 |
| 101MPOP.42.3900.231 | 101 WL LED MP OP 3000K 39W/4300lm 1400mA 296x1196+GST3P | 1196 | 296 | 52 | € 198,00 |
| 101MPOP.42.3900.241 | 101 WL LED MP OP 4000K 39W/4300lm 1400mA 296x1196 +GST3P | 1196 | 296 | 52 | € 198,00 |

118 P WL LED

| Code nummer | Code omschrijving | L | B | H | Bruto Prijs |
|------------------|---|-----|-----|----|-------------|
| 118P.38.2400.531 | 118 P WL LED 3000K 32W/2750lm 700mA 596x596 +GST3P | 596 | 596 | 97 | € 176,00 |
| 118P.59.3600.531 | 118 P WL LED 3000K 50W/3800lm 1050mA 596x596 +GST3P | 596 | 596 | 97 | € 197,00 |
| 118P.38.2400.541 | 118 P WL LED 4000K 32W/2750lm 700mA 596x596 +GST3P | 596 | 596 | 97 | € 176,00 |
| 118P.59.3600.541 | 118 P WL LED 4000K 50W/3800lm 1050mA 596x596 +GST3P | 596 | 596 | 97 | € 197,00 |

105 WL BL MPR CCT

| Code nummer | Code omschrijving | L | B | H | Bruto prijs |
|---------------------|--|------|-----|----|-------------|
| 105.MPR.30.3600.511 | 105 BL WL LED MPR CCT 30W 3600lm ON/OFF WH 600 UGR<19 + GST3P | 595 | 595 | 35 | € 79,00 |
| 105.MPR.30.3600.211 | 105 BL WL LED MPR CCT 30W 3600lm ON/OFF WH 1200 UGR<19 + GST3P | 1195 | 295 | 35 | € 79,00 |

106 pl

| Code nummer | Code omschrijving | L | B | H | Bruto prijs |
|----------------------|---|------|-----|----|-------------|
| 11543101701 | 106 PL 6060BL DPR 3900 lm 31W 900mA 35V 930 595x595mm IP54 white | 595 | 595 | 32 | € 53,24 |
| 11543102701 | 106 PL 30120BL DPR 3900 lm 31W 900mA 35V 930 295x1195mm IP54 white | 1195 | 295 | 32 | € 62,34 |
| 11543101801 | 106 PL 6060BL DPR 4200 lm 31W 900mA 35V 940 595x595mm IP54 white | 596 | 596 | 32 | € 53,24 |
| 11543102801 | 106 PL 30120BL dpr 4200 lm 31W 900mA 35V 940 295x1195mm IP54 white | 1195 | 295 | 32 | € 62,34 |
| Driver opties | | | | | |
| 11540000230 | 106 PL driver CertiDrive 36W 900mA 40V FO with GST3P and fast connector | 118 | 42 | 28 | € 21,06 |
| 11540000240 | 106 PL driver 44W 900mA 42V DALI with pastel GST 5pole and fast connector | 123 | 79 | 31 | € 68,80 |

110 WL LED Z/W LENS

| Code nummer | Code omschrijving | L | B | H | Bruto prijs |
|--------------------------|---|------|-----|----|-------------|
| 110.WL.LI.22.2700.531.12 | 110 WL LI LED 80° 22W 3000lm 3000K FO 600 WHITE SINGLE ROW + GST | 596 | 596 | 25 | € 146,00 |
| 110.WL.LI.22.3000.531.11 | 110 WL LI LED 80° 22W 2700lm 3000K FO 600 BLACK SINGLE ROW + GST | 596 | 596 | 25 | € 146,00 |
| 110.WL.LI.28.4000.531.11 | 110 WL LI LED 80° 28W 4000lm 3000K FO 600 WHITE DOUBLE ROW + GST | 596 | 596 | 25 | € 210,00 |
| 110.WL.LI.28.4000.531.12 | 110 WL LI LED 80° 28W 4000lm 3000K FO 600 BLACK DOUBLE ROW + GST | 596 | 596 | 25 | € 210,00 |
| 110.WL.LI.28.4400.231.11 | 110 WL LI LED 80° 28W 4400lm 3000K FO 1200 WHITE SINGLE ROW + GST | 1196 | 296 | 25 | € 208,00 |
| 110.WL.LI.23.2600.231.12 | 110 WL LI LED 80° 23W 2600lm 3000K FO 1200 BLACK SINGLE ROW + GST | 1196 | 296 | 25 | € 188,00 |
| 110.WL.LI.28.4000.231.12 | 110 WL LI LED 80° 28W 4000lm 3000K FO 1200 BLACK SINGLE ROW + GST | 1196 | 296 | 25 | € 208,00 |
| 110.WL.LI.42.5500.231.12 | 110 WL LI LED 80° 42W 5500lm 3000K FO 1200 BLACK SINGLE ROW + GST | 1196 | 296 | 25 | € 228,00 |

DEMI RV LGO

| Code nummer | Code omschrijving | L | B | H | Bruto prijs |
|---------------|---|------|-----|----|-------------|
| 1141714HF2011 | Demi RV LGOW90 1700 lm 15 W 930 FO 297x297 mm IP20 wh/wh + GST3P | 297 | 297 | 50 | € 135,07 |
| 1141514HF2011 | Demi RV LGOB90 1350 lm 15 W 930 FO 297x297 mm IP20 wh/bk + GST3P | 297 | 297 | 50 | € 135,07 |
| 11417141F2011 | Demi RV LGOW90 3200 lm 28 W 930 FO 597x597 mm IP20 wh/wh + GST3P | 597 | 597 | 50 | € 220,87 |
| 11415141F2011 | Demi RV LGOB90 3400 lm 39 W 930 FO 597x597 mm IP20 wh/bk + GST3P | 597 | 597 | 50 | € 227,37 |
| 11417144F2011 | Demi RV LGOW90 4000 lm 31 W 930 FO 297x1197 mm IP20 wh/wh + GST3P | 1197 | 297 | 50 | € 336,69 |
| 11415144F2011 | Demi RV LGOB90 3900 lm 40 W 930 FO 297x1197 mm IP20 wh/bk + GST3P | 1197 | 297 | 50 | € 336,69 |

DEMI HMP

| Code nummer | Code omschrijving | L | B | H | Bruto prijs |
|---------------|--|------|-----|----|-------------|
| 11411141D3011 | Demi RV HMP 3400 lm 33 W 930 FO 597x597 mm IP20 white + GST3P | 597 | 597 | 55 | € 333,39 |
| 11411141G3011 | Demi RV HMP 6000 lm 61 W 930 FO 597x597 mm IP20 white + GST3P | 597 | 597 | 55 | € 340,83 |
| 11411141H3011 | Demi RV HMP 3400lm 32 W 940 FO 597x597 mm IP20 white + GST3P | 597 | 597 | 55 | € 333,39 |
| 11411141K3011 | Demi RV HMP 6000 lm 58 W 940 FO 597x597 mm IP20 white + GST3P | 597 | 597 | 55 | € 340,83 |
| 11411144D0011 | Demi RV HMP 3400 lm 33 W 930 FO 297x1197 mm IP20 white + GST3P | 1197 | 297 | 55 | € 333,39 |
| 11411144F0011 | Demi RV HMP 6000 lm 61 W 930 FO 297x1197 mm IP20 white + GST3P | 1197 | 297 | 55 | € 333,39 |
| 11411144H0011 | Demi RV HMP 3400 lm 32 W 940 FO 297x1197 mm IP20 white + GST3P | 1197 | 297 | 55 | € 333,39 |
| 11411144J0011 | Demi RV HMP 6000 lm 58 W 940 FO 297x1197 mm IP20 white + GST3P | 1197 | 297 | 55 | € 333,39 |

LONA C

| Code nummer | Code omschrijving | Ø | H | Bruto prijs |
|--------------|---|-----|----|-------------|
| 180611G410B1 | Lona C 300 h65 SOP 790 lm 8 W 930 FO IP43 white | 300 | 65 | € 176,67 |
| 180611G470B1 | Lona C 300 h65 SOP 790 lm 8 W 930 FO MW sensor IP43 white | 300 | 65 | € 214,37 |
| 180611R410B1 | Lona C 300 h65 SOP 1350 lm 13 W 930 FO IP43 white | 300 | 65 | € 176,67 |

WL Pocket 2026

de lichtwerk pocket maakt gebruik van verschillende kortingsgroepen. De kortingsgroep wordt aangeduid doormiddel van de kleur waar de prijzen in gemarkeerd zijn.

Alle getoonde prijzen zijn adviesprijzen, exclusief het geldende BTW-tarief, exclusief wettelijke verwijderingsbijdrage en bij GU10 armaturen exclusief lichtbronnen

mocht de artikelcode veranderd zijn ten opzichte van de gedrukte pocket, dan is de artikelcode in deze prijslijst geel gemarkeerd.

De codes die in de prijslijst staan zijn geldend.

| | | | | | |
|--------------|---|-----|----|---|--------|
| 180611R470B1 | Lona C 300 h65 SOP 1350 lm 13 W 930 FO MW sensor IP43 white | 300 | 65 | € | 214,37 |
| 180611Z410B1 | Lona C 300 h65 SOP 1800 lm 18 W 930 FO IP43 white | 300 | 65 | € | 176,67 |
| 180611Z470B1 | Lona C 300 h65 SOP 1800 lm 18 W 930 FO MW sensor IP43 white | 300 | 65 | € | 214,37 |
| 180621G410B1 | Lona C 400 h65 SOP 1350 lm 14 W 930 FO IP43 white | 400 | 65 | € | 259,87 |
| 180621G470B1 | Lona C 400 h65 SOP 1350 lm 14 W 930 FO MW sensor IP43 white | 400 | 65 | € | 297,57 |
| 180621R410B1 | Lona C 400 h65 SOP 2150 lm 20 W 930 FO IP43 white | 400 | 65 | € | 259,87 |
| 180621R470B1 | Lona C 400 h65 SOP 2150 lm 20 W 930 FO MW sensor IP43 white | 400 | 65 | € | 297,57 |

ETEA

| Code nummer | Code omschrijving | Ø | H | | Bruto prijs |
|-------------|--|-----|-----|---|-------------|
| 18214414001 | Etea Direct 1200 lm 11 W 930 FO IP43 white / opal | 285 | 103 | € | 80,85 |
| 18214424001 | Etea Direct 1550 lm 14 W 930 FO IP43 white / opal | 285 | 103 | € | 80,85 |
| 18215414002 | Etea Direct Indirect 1300 lm 11 W 930 FO IP43 black / opal | 285 | 103 | € | 82,39 |
| 18215424002 | Etea Direct Indirect 1700 lm 14 W 930 FO IP43 black / opal | 285 | 103 | € | 82,39 |
| 18215414102 | Etea Direct Indirect 1300 lm 11 W 930 FO IP65 black / opal | 285 | 103 | € | 85,49 |
| 18215424102 | Etea Direct Indirect 1700 lm 14 W 930 FO IP65 black / opal | 285 | 103 | € | 85,49 |

ROP

| Code nummer | Code omschrijving | Ø | H | | Bruto prijs |
|-----------------------|--|-----|-----|---|-------------|
| ROP.285.9.900.31 | ROP WL 9W 900lm 3000K FO 285mm IP44 PMMA White | 285 | 89 | € | 54,40 |
| ROP.285.9.900.31MWS | ROP WL 9W 900lm 3000K FO+MW SENSOR 285mm IP44 PMMA White | 285 | 89 | € | 92,00 |
| ROP.285.20.2000.31 | ROP WL 20W 2000lm 3000K FO 285mm IP44 PMMA White | 285 | 89 | € | 72,00 |
| ROP.285.20.2000.31MWS | ROP WL 20W 2000lm 3000K FO+MW SENSOR 285mm IP44 PMMA White | 285 | 89 | € | 114,00 |
| ROP.375.20.2000.31 | ROP WL 20W 2000lm 3000K FO 375mm IP44 PMMA White | 375 | 108 | € | 110,00 |
| ROP.375.27.2700.31MWS | ROP WL 20W 2000lm 3000K FO+MW SENSOR 375mm IP44 PMMA White | 375 | 108 | € | 147,00 |
| ROP.375.27.2700.31 | ROP WL 27W 2700lm 3000K FO 375mm IP44 PMMA White | 375 | 108 | € | 106,00 |
| ROP.375.27.2700.31MWS | ROP WL 27W 2700lm 3000K FO+MW SENSOR 375mm IP44 PMMA White | 375 | 108 | € | 147,00 |
| ROP.480.34.3600.31 | ROP WL 34W 3600lm 3000K FO 480mm IP44 PMMA White | 480 | 132 | € | 136,00 |
| ROP.480.34.3600.31MWS | ROP WL 34W 3600lm 3000K FO+MW SENSOR 480mm IP44 PMMA White | 480 | 132 | € | 173,00 |

5600PL

| Code nummer | Code omschrijving | L | B | H | | Bruto prijs |
|----------------|--|------|----|----|---|-------------|
| 5.6000.5000.04 | 5600 WL 21-37W 3400/4150/5000/5600lm FO 840 IP66 IK08 PC opal + DVB 3x1,5mm² | 1200 | 88 | 82 | € | 70,30 |
| 5.6000.7000.04 | 5600 WL 28-49W 4600/5600/6600/7600lm FO 840 IP66 IK08 PC opal + DVB 3x1,5mm² | 1500 | 88 | 82 | € | 77,70 |

5700WL

| Code nummer | Code omschrijving | L | B | H | | Bruto prijs |
|--------------------|--|------|-----|-----|---|-------------|
| 5.7000.1300.04 | 5700 WL 11W 1450lm 4000K FO IP65 IK08 PC opal wide body 675mm | 675 | 135 | 100 | € | 99,00 |
| 5.7000.2500.04 | 5700 WL 20W 2750lm 4000K FO IP65 IK08 PC opal wide body 675mm | 675 | 135 | 100 | € | 136,00 |
| 5.7000.2200.04 | 5700 WL 20W 2700lm 4000K FO IP65 IK08 PC opal narrow body 1275mm | 1275 | 84 | 100 | € | 134,00 |
| 5.7000.4200.04 | 5700 WL 40W 5500lm 4000K FO IP65 IK08 PC opal wide body 1275mm | 1275 | 135 | 100 | € | 148,00 |
| 5.7000.3400.04 | 5700 WL 32W 4400lm 4000K FO IP65 IK08 PC opal narrow body 1575mm | 1575 | 84 | 100 | € | 146,00 |
| 5.7000.3400.04 DVB | 5700 WL 32W 4400lm 4000K FO IP65 IK08 PC opal narrow body 1575mm + DVB 3pole | 1575 | 84 | 100 | € | 158,00 |
| 5.7000.6800.04 | 5700 WL 53W 7700lm 4000K FO IP65 IK08 PC opal wide body 1575mm | 1575 | 135 | 100 | € | 180,00 |
| 5.7000.10300.04 | 5700 WL 68W 10200lm 4000K FO IP65 IK08 PC opal wide body 1575mm | 1575 | 135 | 100 | € | 279,00 |
| 5.7000.13100.04 | 5700 WL 95W 13100lm 4000K FO IP65 IK08 PC opal wide body 1575mm | 1575 | 135 | 100 | € | 271,00 |

212 WL LED MP OP

| Code nummer | Code omschrijving | L | B | H | | Bruto prijs |
|--------------------|---|------|-----|----|---|-------------|
| 212MPOP.25.2600.53 | 212 WL LED MP-OP 28W 3100lm 3000K FO White body + mat alu Louvre 610x410mm | 610 | 410 | 52 | € | 189,00 |
| 212MPOP.39.3700.53 | 212 WL LED MP-OP 39W 4200lm 3000K FO White body + mat alu louvre 610x410mm | 610 | 410 | 52 | € | 179,00 |
| 212MPOP.23.1900.13 | 212 WL LED MP-OP 19W 2200lm 3000K FO White body + mat alu louvre 1210x153mm | 1210 | 153 | 52 | € | 143,60 |
| 212MPOP.27.3000.23 | 212 WL LED MP-OP 26W 3000lm 3000K FO White body + mat alu louvre 1210x238mm | 1210 | 238 | 52 | € | 160,00 |
| 212MPOP.42.3600.23 | 212 WL LED MP-OP 39W 4300lm 3000K FO White body + mat alu louvre 1210x238mm | 1210 | 238 | 52 | € | 160,00 |
| 212MPOP.34.2800.13 | 212 WL LED MP-OP 30W 3400lm 3000K FO White body + mat alu louvre 1510x153mm | 1510 | 153 | 52 | € | 160,00 |
| 212MPOP.41.5200.23 | 212 WL LED MP-OP 41W 5200lm 3000K FO White body + mat alu louvre 1510x238mm | 1510 | 238 | 52 | € | op aanvraag |
| 212MPOP.65.5500.23 | 212 WL LED MP-OP 60W 6900lm 3000K FO White body + mat alu louvre 1510x238mm | 1510 | 238 | 52 | € | 219,00 |

WL HIVE C

| Code nummer | Code omschrijving | Ø | H | | Bruto prijs |
|-----------------------|--|-------|----|---|-------------|
| WL.HIVE.C.10.1400.223 | WL HIVE CEILING 60° 10 W 1400 lm 3000K FO 190mm black body + black optic | 183,5 | 56 | € | 103,60 |
| WL.HIVE.C.10.1400.224 | WL HIVE CEILING 60° 10 W 1400 lm 4000K FO 190mm black body + black optic | 183,5 | 56 | € | 103,60 |
| WL.HIVE.C.10.1500.113 | WL HIVE CEILING 60° 10 W 1500 lm 3000K FO 190mm white body + white optic | 183,5 | 56 | € | 103,60 |

| | | | | | |
|-----------------------|--|-------|----|---|--------|
| WL.HIVE.C.10.1500.114 | WL HIVE CEILING 60° 10 W 1500 lm 4000K FO 190mm white body + white optic | 183,5 | 56 | € | 103,80 |
|-----------------------|--|-------|----|---|--------|

NITOR PRO

| Code nummer | Code omschrijving | Ø | zaagmaat | H | Bruto prijs |
|--------------|---|-----|----------|-----|-------------|
| 148150231111 | Nitor RV PRO 1500-4000 lm 12-38 W 350-1050 mA 36 V 930 56" IP20 white/white | 240 | 220 | 110 | € 83,51 |
| 148150231122 | Nitor RV PRO 1500-4000 lm 12-38 W 350-1050 mA 36 V 930 56" IP20 black/black | 240 | 220 | 110 | € 83,51 |
| 148150231112 | Nitor RV PRO 1500-4000 lm 12-38 W 350-1050 mA 36 V 930 56" IP20 white/black | 240 | 220 | 110 | € 83,51 |
| 148150231121 | Nitor RV PRO 1500-4000 lm 12-38 W 350-1050 mA 36 V 930 56" IP20 black/white | 240 | 220 | 110 | € 83,51 |
| 148150241111 | Nitor RV PRO 1600-4300 lm 12-38 W 350-1050 mA 36 V 940 56" IP20 white/white | 240 | 220 | 110 | € 83,51 |
| 148150241122 | Nitor RV PRO 1600-4300 lm 12-38 W 350-1050 mA 36 V 940 56" IP20 black/black | 240 | 220 | 110 | € 83,51 |
| 148150241112 | Nitor RV PRO 1600-4300 lm 12-38 W 350-1050 mA 36 V 940 56" IP20 white/black | 240 | 220 | 110 | € 83,51 |
| 148150241121 | Nitor RV PRO 1600-4300 lm 12-38 W 350-1050 mA 36 V 940 56" IP20 black/white | 240 | 220 | 110 | € 83,51 |

NITOR RV FLAT D154

| Code nummer | Code omschrijving | Ø | zaagmaat | H | Bruto prijs |
|--------------|--|-----|----------|----|-------------|
| 1481A0332011 | Nitor RV SOP 890-1700 lm 9-18 W 350-700 mA 26 V 930 D154 mm IP44 white/white | 154 | 138 | 63 | € 60,97 |
| 1481A0332022 | Nitor RV SOP 780-1500 lm 9-18 W 350-700 mA 26 V 930 D154 mm IP44 black/black | 154 | 138 | 63 | € 60,97 |
| 1481B0332011 | Nitor RV DPR 940-1800 lm 9-18 W 350-700 mA 26 V 930 D154 mm IP44 white/white | 154 | 138 | 63 | € 60,97 |
| 1481B0332022 | Nitor RV DPR 840-1600 lm 9-18 W 350-700 mA 26 V 930 D154 mm IP44 black/black | 154 | 138 | 63 | € 60,97 |
| 1481A0342011 | Nitor RV SOP 940-1750 lm 9-18 W 350-700 mA 26 V 940 D154 mm IP44 white/white | 154 | 138 | 63 | € 60,97 |
| 1481A0342022 | Nitor RV SOP 940-1750 lm 9-18 W 350-700 mA 26 V 940 D154 mm IP44 black/black | 154 | 138 | 63 | € 60,97 |
| 1481B0342011 | Nitor RV DPR 990-1850 lm 9-18 W 350-700 mA 26 V 940 D154 mm IP44 white/white | 154 | 138 | 63 | € 60,97 |
| 1481B0342022 | Nitor RV DPR 990-1850 lm 9-18 W 350-700 mA 26 V 940 D154 mm IP44 black/black | 154 | 138 | 63 | € 60,97 |

NITOR HE

| Code nummer | Code omschrijving | Ø | zaagmaat | H | Bruto prijs |
|-------------|---|-----|----------|-----|-------------|
| 14818023111 | Nitor RV HE 1500-3500 lm 12-32 W 350-900 mA 36 V 930 IP20 white | 240 | 220 | 110 | € 86,47 |
| 14818023211 | Nitor RV HE 1400-3300 lm 12-32 W 350-900 mA 36 V 930 IP44 white | 240 | 220 | 110 | € 90,98 |
| 14818024111 | Nitor RV HE 1600-3700 lm 12-32 W 350-900 mA 36 V 940 IP20 white | 240 | 220 | 110 | € 86,47 |
| 14818024211 | Nitor RV HE 1500-3500 lm 12-32 W 350-900 mA 36 V 940 IP44 white | 240 | 220 | 110 | € 90,98 |

WL BARI CCT

| Code nummer | Code omschrijving | Ø | zaagmaat | H | Bruto prijs |
|---------------------|--|-----|----------|----|-------------|
| WL.BARI.S.8.760.1 | WL BARI Small 8W 3000-4000-5700K 610-760lm +GST white | 115 | 90-105 | 45 | € 86,00 |
| WL.BARI.L.25.2500.1 | WL BARI Large 25W 3000-4000-5700K 2200-2500lm +GST white | 203 | 175-190 | 56 | € 111,00 |

NOLA RV

| Code nummer | Code omschrijving | Ø | zaagmaat | H | Bruto prijs |
|-------------------|--|-----|----------|----|-------------|
| Flat: | | | | | |
| 1829101G1BB | Nola RV FL SOP 650-1250 lm 6-13 W 250-500 mA 25 V 930 IP44 matte white/matte white | 120 | 116 | 57 | € 107,35 |
| 1829103G1BB | Nola RV FL DPR 680-1300 lm 6-13 W 250-500 mA 25 V 930 IP44 matte white/matte white | 120 | 116 | 57 | € 107,35 |
| 1829101K1BB | Nola RV FL SOP 680-1300 lm 6-13 W 250-500 mA 25 V 940 IP44 matte white/matte white | 120 | 116 | 57 | € 107,35 |
| 1829103K1BB | Nola RV FL DPR 710-1350 lm 6-13 W 250-500 mA 25 V 940 IP44 matte white/matte white | 120 | 116 | 57 | € 107,35 |
| Regressed: | | | | | |
| 1829101G2BB | Nola RV RG SOP 600-1150 lm 6-13 W 250-500 mA 25 V 930 IP44 matte white/matte white | 120 | 116 | 60 | € 122,99 |
| 1829103G2BB | Nola RV RG DPR 630-1200 lm 6-13 W 250-500 mA 25 V 930 IP44 matte white/matte white | 120 | 116 | 60 | € 122,99 |
| 1829101K2BB | Nola RV RG SOP 630-1200 lm 6-13 W 250-500 mA 25 V 940 IP44 matte white/matte white | 120 | 116 | 60 | € 122,99 |
| 1829103K2BB | Nola RV RG DPR 660-1250 lm 6-13 W 250-500 mA 25 V 940 IP44 matte white/matte white | 120 | 116 | 60 | € 122,99 |

VEO

| Code nummer | Code omschrijving | Ø | zaagmaat | H | Bruto prijs |
|----------------|--|---------|----------|-----|-------------|
| Small: | | | | | |
| 90-A032-H2-00 | Downlight Veo ø110mm 10W LED warm-white 3000K CRI 82 67.1° ON-OFF Textured white + Alu reflector IP54 1460lm | 110-130 | | 100 | € 62,05 |
| 90-A032-14-00 | Downlight Veo ø110mm 10 LED warm-white 3000K CRI 82 67.1° ON-OFF White + White reflector IP54 1123lm | 110-130 | | 100 | € 83,85 |
| Medium: | | | | | |
| 90-A034-H2-00 | Downlight Veo ø161mm 13.5W LED warm-white 3000K CRI 82 67.2° ON-OFF Textured white + Alu reflector IP54 1879lm | 161-180 | | 80 | € 72,95 |
| 90-A034-14-00 | Downlight Veo ø161mm 13.5 LED warm-white 3000K CRI 82 66.4° ON-OFF White + White reflector IP54 1434lm | 161-180 | | 80 | € 75,05 |
| Big: | | | | | |
| 90-A036-H2-00 | Downlight Veo ø210mm 19.1W LED warm-white 3000K CRI 82 75.2° ON-OFF Textured white + Alu reflector IP54 2618lm | 210-230 | | 100 | € 84,30 |
| 90-A036-14-00 | Downlight Veo ø210mm 19.1 LED warm-white 3000K CRI 82 73.9° ON-OFF White + White reflector IP54 1960lm | 210-230 | | 100 | € 86,70 |

WL HIVE RV

| Code nummer | Code omschrijving | Ø | zaagmaat | H | Bruto prijs |
|------------------------|---|-----|----------|----|-------------|
| WL.HIVE.RV.10.1400.223 | WL HIVE RECESSED 60° 10 W 1400 lm 3000K FO 190mm black body + black optic | 210 | 190 | 41 | € 85,10 |
| WL.HIVE.RV.10.1400.224 | WL HIVE RECESSED 60° 10 W 1400 lm 4000K FO 190mm black body + black optic | 210 | 190 | 41 | € 85,10 |
| WL.HIVE.RV.10.1500.113 | WL HIVE RECESSED 60° 10 W 1500 lm 3000K FO 190mm white body + white optic | 210 | 190 | 41 | € 85,10 |
| WL.HIVE.RV.10.1500.114 | WL HIVE RECESSED 60° 10 W 1500 lm 4000K FO 190mm white body + white optic | 210 | 190 | 41 | € 85,10 |

PIPES RVS

| Code nummer | Code omschrijving | Ø | zaagmaat | H | Bruto prijs |
|-------------|---|-----|----------|-----|-------------|
| 130500C3T01 | Pipes RVS 65F 590-950 lm 6-11 W 150-275 mA 39 V 930 30° IP20 white | 65 | 57 | 69 | € 53,43 |
| 130500B3T01 | Pipes RVS 65A 590-1000 lm 6-12 W 150-300 mA 40 V 930 30° IP20 white | 65 | 57 | 102 | € 54,90 |
| 130500F3T01 | Pipes RVS 89F 590-950 lm 6-11 W 150-275 mA 39 V 930 30° IP20 white | 89 | 80 | 82 | € 57,58 |
| 130500D3T01 | Pipes RVS 89A 590-1000 lm 6-12 W 150-300 mA 40 V 930 30° IP20 white | 89 | 80 | 115 | € 58,92 |
| 13050013B01 | Pipes RVS 115A 1100-2800 lm 8-24 W 250-700 mA 35 V 930 40° IP20 white | 115 | 105 | 133 | € 85,29 |

PIPES RI

| Code nummer | Code omschrijving | Ø | zaagmaat | H | Bruto prijs |
|-------------|--|-----|----------|-----|-------------|
| 130550C3T01 | Pipes RI 60F 590-950 lm 6-11 W 150-275 mA 39 V 930 30° IP20 white | 60 | 68 | 71 | € 70,03 |
| 130550F3T01 | Pipes RI 80F 590-950 lm 6-11 W 150-275 mA 39 V 930 30° IP20 white | 80 | 88 | 82 | € 79,27 |
| 130550S3A01 | Pipes RI 100F 1150-2900 lm 8-24 W 250-700 mA 35 V 930 30° IP20 white | 100 | 108 | 116 | € 119,57 |
| 13055013A01 | Pipes RI 100A 1150-2900 lm 8-24 W 250-700 mA 35 V 930 30° IP20 white | 100 | 108 | 126 | € 119,57 |

PIPES RVSQ

| Code nummer | Code omschrijving | Ø | zaagmaat | H | Bruto prijs |
|-------------|--|----|----------|-----|-------------|
| 1305Q0F3T01 | Pipes RVSQ 89F 590-950 lm 6-11 W 150-275 mA 39 V 930 30° IP20 white | 89 | 80 | 82 | € 59,85 |
| 1305Q0D3T01 | Pipes RVSQ 89A 590-1000 lm 6-12 W 150-300 mA 40 V 930 30° IP20 white | 89 | 80 | 110 | € 61,19 |

CONIC

| Code nummer | Code omschrijving | Ø | zaagmaat | H | Bruto prijs |
|---------------------------|---|----|----------|----|-------------|
| Zonder afwerkrand: | | | | | |
| 16A120D011 | Conic RI 80A 30° 560-840 lm 6-10 W 150-250 mA 39 V 930 IP44 white/white | 81 | 80 | 76 | € 83,07 |
| 16A110D011 | Conic RI 80F 30° 550-820 lm 6-10 W 150-250 mA 39 V 930 IP44 white/white | 81 | 80 | 92 | € 80,47 |
| 16A1000000 | Fixing tool Conic RI 80 | | | | € 13,65 |
| Met afwerkrand: | | | | | |
| 16A240D011 | Conic RV 86A 30° 560-840 lm 6-10 W 150-250 mA 39 V 930 IP44 white/white | 88 | 80 | 76 | € 83,07 |
| 16A230D011 | Conic RV 86F 30° 550-820 lm 6-10 W 150-250 mA 39 V 930 IP44 white/white | 88 | 92 | 80 | € 80,47 |

ATOS RV

| Code nummer | Code omschrijving | Ø | zaagmaat | H | Bruto prijs |
|-------------|--|----|----------|----|-------------|
| 1931325T001 | Atos RVS 42F 480 lm 5 W 125 mA 36 V 930 30° IP44 white | 42 | 38 | 52 | € 81,69 |
| 1931225T001 | Atos RV 42F 480 lm 5 W 125 mA 36 V 930 30° IP44 white | 42 | 38 | 52 | € 81,69 |
| 1931125T001 | Atos RVP 42F 480 lm 5 W 125 mA 36 V 930 30° IP44 white | 42 | 38 | 45 | € 80,02 |
| 1931515D001 | Atos RVT 42F 300 lm 5 W 125 mA 36 V 930 20° IP20 white | 42 | 38 | 52 | € 92,93 |

NIT

| Code nummer | Code omschrijving | Ø | zaagmaat | H | Bruto prijs |
|-----------------|--|-----|----------|-----|-------------|
| BH11-11W9F2OS14 | Downlight Nit Round Fix ø105 13.4 LED warm-white 3000K CRI 90 58° ON-OFF White IP54 1451m | 105 | 98 | 73 | € 116,00 |
| BH11-16W9F2OS14 | Downlight Nit Round Fix ø105 18.8 LED warm-white 3000K CRI 90 58° ON-OFF White IP54 2064m | 105 | 98 | 73 | € 116,00 |
| BH11-27W9F2OS14 | Downlight Nit Round Fix ø105 30.9 LED warm-white 3000K CRI 90 57° ON-OFF White IP54 3018m | 105 | 98 | 73 | € 116,00 |
| BH13-11W9F2OS14 | Downlight Nit Round Adjustable ø120 13.4 LED warm-white 3000K CRI 90 56° ON-OFF White IP54 1451m | 115 | 108 | 82 | € 127,70 |
| BH13-16W9F2OS14 | Downlight Nit Round Adjustable ø120 18.8 LED warm-white 3000K CRI 90 58° ON-OFF White IP54 2064m | 115 | 108 | 82 | € 127,70 |
| BH13-27W9F2OS14 | Downlight Nit Round Adjustable ø120 30.9 LED warm-white 3000K CRI 90 57° ON-OFF White IP54 3016m | 115 | 108 | 82 | € 127,70 |
| BH12-27W9F2OS14 | Downlight Nit Round Fix ø150 30.9 LED warm-white 3000K CRI 90 60° ON-OFF White IP54 3158m | 150 | 140 | 100 | € 152,05 |
| BH12-36W9F2OS14 | Downlight Nit Round Fix ø150 41.1 LED warm-white 3000K CRI 90 60° ON-OFF White IP54 3926m | 150 | 140 | 100 | € 152,05 |
| BH12-41W9F2OS14 | Downlight Nit Round Fix ø150 48.1 LED warm-white 3000K CRI 90 60° ON-OFF White IP54 4480m | 150 | 140 | 100 | € 152,05 |
| BH14-27W9F2OS14 | Downlight Nit Round Adjustable ø170 30.9 LED warm-white 3000K CRI 90 60° ON-OFF White IP54 3158m | 170 | 160 | 115 | € 156,65 |
| BH14-36W9F2OS14 | Downlight Nit Round Adjustable ø170 41.1 LED warm-white 3000K CRI 90 60° ON-OFF White IP54 3926m | 170 | 160 | 115 | € 156,65 |
| BH14-41W9F2OS14 | Downlight Nit Round Adjustable ø170 48.1 LED warm-white 3000K CRI 90 60° ON-OFF White IP54 4480m | 170 | 160 | 115 | € 156,65 |

LITE

| Code nummer | Code omschrijving | Ø | zaagmaat | H | Bruto prijs |
|--------------------------|--|---------|----------|-----|-------------|
| Vaste uitvoering: | | | | | |
| 90-A027-14-00 | Downlight Lite Deep Fix ø70mm 8.4 LED 3000K CRI 80 32.2° ON-OFF White IN IP20 / OUT IP54 659lm | 75-89 | 65-79 | 69 | € 41,20 |
| 90-A175-14-00 | Downlight Lite Deep Fix ø70mm 13.9 LED warm-white 3000K CRI 90 34° ON-OFF White IP54 1059lm | 75-89 | 65-79 | 89 | € 46,85 |
| 90-8079-14-00 | Downlight Lite Deep Fix ø88mm 8.4 LED warm-white 3000K CRI 80 32° ON-OFF White IP54 662lm | 88-102 | 80-94 | 78 | € 41,20 |
| 90-A178-14-00 | Downlight Lite Deep Fix Ø88 13.9 LED warm-white 3000K CRI 90 33° ON-OFF White IP54 1069lm | 88-102 | 80-94 | 98 | € 46,85 |
| 90-A030-14-00 | Downlight Lite Deep Fix ø105mm 8.4 LED 3000K CRI 80 30.2° ON-OFF White IN IP20 / OUT IP54 638lm | 105-119 | 95-110 | 86 | € 41,20 |
| 90-A181-14-00 | Downlight Lite Deep Fix Ø105 13.9 LED warm-white 3000K CRI 90 34° ON-OFF White IP54 1067lm | 105-119 | 95-110 | 106 | € 46,85 |
| Kantelbaar: | | | | | |
| 90-A184-14-00 | Downlight Lite Deep Adjustable Ø75 8.5 LED warm-white 3000K CRI 90 34° ON-OFF White IP54 667lm | 75-89 | 65-79 | 72 | € 42,85 |
| 90-A187-14-00 | Downlight Lite Deep Adjustable Ø75 13.9 LED warm-white 3000K CRI 90 34° ON-OFF White IP54 1059lm | 75-89 | 65-79 | 92 | € 49,85 |
| 90-A190-14-00 | Downlight Lite Deep Adjustable Ø88 8.5 LED warm-white 3000K CRI 90 33° ON-OFF White IP54 662lm | 88-102 | 80-94 | 82 | € 42,85 |
| 90-A193-14-00 | Downlight Lite Deep Adjustable Ø88 13.9 LED warm-white 3000K CRI 90 33° ON-OFF White IP54 1069lm | 88-102 | 80-94 | 102 | € 49,85 |
| 90-A196-14-00 | Downlight Lite Deep Adjustable Ø105 8.5 LED warm-white 3000K CRI 90 34° ON-OFF White IP54 663lm | 105-119 | 95-110 | 90 | € 42,85 |

| | | | | | | |
|---------------|---|---------|--------|-----|---|-------|
| 90-A199-14-00 | Downlight Lite Deep Adjustable Ø105 13.9 LED warm-white 3000K CRI 90 34° ON-OFF White IP54 1067lm | 105-119 | 95-110 | 110 | € | 49,85 |
|---------------|---|---------|--------|-----|---|-------|

MULTIDIR EVO TRIM

| Code nummer | Code omschrijving | L | B | Zaagmaat | H | Bruto prijs |
|--------------------------|--|-----|-----|----------|-----|-------------|
| Trim Small Single | | | | | | |
| AU11-P8W9M3OS14 | Downlight Multidir Evo Small Single Recessed Trim 7.6 LED 3000K CRI 90 38.1° ON-OFF White IP54 860lm | 120 | 120 | 110x110 | 83 | Op aanvraag |
| AU11-11W9M3OU14 | Downlight Multidir Evo Small Single Recessed Trim 11.7 LED 3000K CRI 90 38.1° ON-OFF White IP54 1144lm | 120 | 120 | 110x110 | 83 | Op aanvraag |
| AU11-18W9M3OU14 | Downlight Multidir Evo Small Single Recessed Trim 18.8 LED 930 35.3° ON-OFF White IP54 1869lm | 120 | 120 | 110x110 | 83 | Op aanvraag |
| AU11-AAG1NABU14 | Downlight Multidir Evo Small Single Recessed Trim Max. 8W GU10 White IP54 | 120 | 120 | 110x110 | 83 | € 93,85 |
| Trim Big Single | | | | | | |
| AU17-18W9M3OU14 | Downlight Multidir Evo Big Single Recessed Trim 18.2 LED 3000K CRI 90 38.1° ON-OFF White IP54 1971lm | 180 | 180 | 160x160 | 119 | € 138,30 |
| AU17-25W9M3OU14 | Downlight Multidir Evo Big Single Recessed Trim 25.4 LED 3000K CRI 90 38.1° ON-OFF White IP54 2735lm | 180 | 180 | 160x160 | 119 | € 138,30 |
| AU17-33W9M3OS14 | Downlight Multidir Evo Big Single Recessed Trim 33.3 LED 3000K CRI 90 38.1° ON-OFF White IP54 3439lm | 180 | 180 | 160x160 | 119 | € 138,30 |
| AU17-39W9M3OS14 | Downlight Multidir Evo Big Single Recessed Trim 46 LED 3000K CRI 90 38.4° ON-OFF White IP54 4442lm | 180 | 180 | 160x160 | 119 | € 141,00 |
| AU17-AAG1NABU14 | Downlight Multidir Evo Big Single Recessed Trim Max. 8W GU10 White IP54 | 180 | 180 | 160x160 | 119 | € 118,00 |

| Code nummer | Code omschrijving | L | B | Zaagmaat | H | Bruto prijs |
|--------------------------|--|-----|-----|----------|-----|-------------|
| Trim Small Double | | | | | | |
| AU13-P8W9M3OU14 | Downlight Multidir Evo Small Double Recessed Trim 19.8 LED 3000K CRI 90 ON-OFF White IP54 2010lm | 220 | 120 | 208x110 | 83 | Op aanvraag |
| AU13-11W9M3OS14 | Downlight Multidir Evo Small Double Recessed Trim 28.5 LED 3000K CRI 90 ON-OFF White IP54 2728lm | 220 | 120 | 208x110 | 83 | € 217,20 |
| AU13-18W9M3OS14 | Downlight Multidir Evo Small Double Recessed Trim 38.8 LED 3000K CRI 90 ON-OFF White IP54 3738lm | 220 | 120 | 208x110 | 83 | € 217,20 |
| AU13-AAG1NABU14 | Downlight Multidir Evo Small Double Recessed Trim Max. 8W GU10 White IP54 | 220 | 120 | 208x110 | 83 | € 140,75 |
| Trim Big Double | | | | | | |
| AU19-18W9M3OS14 | Downlight Multidir Evo Big Double Recessed Trim 37.7 LED 3000K CRI 90 ON-OFF White IP54 4056lm | 330 | 180 | 310x160 | 119 | € 233,35 |
| AU19-25W9M3OU14 | Downlight Multidir Evo Big Double Recessed Trim 50.8 LED 3000K CRI 90 38.1° ON-OFF White IP54 5470lm | 330 | 180 | 310x160 | 119 | € 248,60 |
| AU19-33W9M3OS14 | Downlight Multidir Evo Big Double Recessed Trim 66.6 LED 3000K CRI 90 38.1° ON-OFF White IP54 6877lm | 330 | 180 | 310x160 | 119 | € 248,60 |
| AU19-39W9M3OS14 | Downlight Multidir Evo Big Double Recessed Trim 46 LED 3000K CRI 90 ON-OFF White IP54 8884lm | 330 | 180 | 310x160 | 119 | € 259,35 |
| AU19-AAG1NABU14 | Downlight Multidir Evo Big Double Recessed Trim Max. 8W GU10 White IP54 | 330 | 180 | 310x160 | 119 | € 201,60 |

MULTIDIR EVO TRIMLESS

| Code nummer | Code omschrijving | L | B | Zaagmaat | H | Bruto prijs |
|------------------------------|---|-----|-----|----------|-----|-------------|
| Trimless Small Single | | | | | | |
| AU12-P8W9M3OS60 | Multidir Evo Small Single Recessed Trimless 7.6 LED 3000K CRI 90 38.1° ON-OFF Black IP54 860lm | 100 | 100 | 100x100 | 83 | Op aanvraag |
| AU12-11W9M3OU60 | Multidir Evo Small Single Recessed Trimless 11.7 LED 3000K CRI 90 38.1° ON-OFF Black IP54 1144lm | 100 | 100 | 100x100 | 83 | Op aanvraag |
| AU12-18W9M3OU60 | Downlight Multidir Evo Small Single Recessed Trimless 18.8 LED 930 35.3° ON-OFF Black IP54 1869lm | 100 | 100 | 100x100 | 83 | Op aanvraag |
| AU12-AAG1NABU60 | Downlight Multidir Evo Small Single Recessed Trimless Max. 8W GU10 White IP54 | 100 | 100 | 100x100 | 83 | € *** |
| Trimless Big Single | | | | | | |
| AU18-18W9M3OU60 | Multidir Evo Big Single Recessed Trimless 18.2 LED 3000K CRI 90 38.1° ON-OFF Black IP54 1971lm | 150 | 150 | 150x150 | 116 | € 138,30 |
| AU18-25W9M3OU60 | Multidir Evo Big Single Recessed Trimless 25.4 LED 3000K CRI 90 38.1° ON-OFF Black IP54 2735lm | 150 | 150 | 150x150 | 116 | € 138,30 |
| AU18-33W9M3OS60 | Multidir Evo Big Single Recessed Trimless 33.3 LED 3000K CRI 90 38.1° ON-OFF Black IP54 3439lm | 150 | 150 | 150x150 | 116 | € 138,30 |
| AU18-39W9M3OS60 | Downlight Multidir Evo Big Single Recessed Trimless 46 LED 930 38.4° ON-OFF Black IP54 4442lm | 150 | 150 | 150x150 | 116 | € 141,00 |
| AU18-AAG1NABU60 | Downlight Multidir Evo Big Single Recessed Trimless Max. 8W GU10 White IP54 | 150 | 150 | 150x150 | 116 | € 118,00 |

| Code nummer | Code omschrijving | L | B | Zaagmaat | H | Bruto prijs |
|------------------------------|---|-----|-----|----------|-----|-------------|
| Trimless Small Double | | | | | | |
| AU14-P8W9M3OU60 | Downlight Multidir Evo Small Double Recessed Trimless 19.8 LED 930 35.3° ON-OFF Black IP54 2010lm | 200 | 100 | 200x100 | 83 | Op aanvraag |
| AU14-11W9M3OS60 | Downlight Multidir Evo Small Double Recessed Trimless 28.5 LED 930 35.3° ON-OFF Black IP54 2728lm | 200 | 100 | 200x100 | 83 | € 217,70 |
| AU14-18W9M3OS60 | Downlight Multidir Evo Small Double Recessed Trimless 38.8 LED 930 35.3° ON-OFF Black IP54 3738lm | 200 | 100 | 200x100 | 83 | € 217,70 |
| AU14-AAG1NABU60 | Downlight Multidir Evo Small Double Recessed Trimless Max. 8W GU10 White IP54 | 200 | 100 | 200x100 | 83 | € 140,75 |
| Trimless Big Single | | | | | | |
| AU21-18W9M3OS60 | Downlight Multidir Evo Big Double Recessed Trimless 37.7 LED 930 38.4° ON-OFF Black IP54 4056lm | 303 | 150 | 303x150 | 116 | € 233,35 |
| AU21-25W9M3OU60 | Multidir Evo Big Double Recessed Trimless 50.8 LED 3000K CRI 90 38.1° ON-OFF Black IP54 5470lm | 303 | 150 | 303x150 | 116 | € 248,60 |
| AU21-33W9M3OS60 | Multidir Evo Big Double Recessed Trimless 66.6 LED 3000K CRI 90 38.1° ON-OFF Black IP54 6877lm | 303 | 150 | 303x150 | 116 | € 248,60 |
| AU21-39W9M3OS60 | Downlight Multidir Evo Big Double Recessed Trimless 46 LED 930 38.4° ON-OFF Black IP54 8884lm | 303 | 150 | 303x150 | 116 | € 259,35 |
| AU21-AAG1NABU60 | Downlight Multidir Evo Big Double Recessed Trim Max. 8W GU10 White IP54 | 303 | 150 | 303x150 | 116 | € 201,60 |

PLAY SNOOT MINI

| Code nummer | Code omschrijving | Ø | Kolom1 | H | Bruto prijs |
|-----------------|---|----|--------|----|-------------|
| AG65-P2W9S1OS14 | Play Snoot Mini Adjustable 3.5W 3000K CR192 13° ON-OFF White IN IP20/OUT IP54 122lm | 70 | 60 | 50 | Op aanvraag |
| AG65-P3W9M2OS14 | Play Snoot Mini Adjustable 4.5W 3000K CR192 28.1° ON-OFF White IP20 335lm | 70 | 60 | 50 | Op aanvraag |
| AG65-P3W9F1OS14 | Play Snoot Mini Adjustable 4.5W 3000K CR192 45.9° ON-OFF White IP20 306lm | 70 | 60 | 50 | Op aanvraag |

GALLO FIRERATED SPOT

| Code nummer | Code omschrijving | Ø | zaagmaat | H | Bruto prijs |
|-------------------|--|----|----------|----|-------------|
| WL.GALLO.6.550. | WL GALLO inbouwspot Fire-rated IP54 6W 3000-4000-5700K 380-550lm triac dim white | 85 | 68-75 | 50 | € 41,00 |
| Kleur trim | | | | | |
| WL.GALLO.TRIM.2 | WL Gallo trim black | | | | € 5,00 |

ATOS RIQ RVQ

| Code nummer | Code omschrijving | L | B | Kolom1 | H | Bruto prijs |
|-------------|-------------------|---|---|--------|---|-------------|
|-------------|-------------------|---|---|--------|---|-------------|

| | | | | | | |
|-------------|---|-----|-----|---------|------|--------|
| 1931C15T201 | Atos RIQ 32A 2x 400-470 lm 4-5 W 125-150 mA 36 V 930 30° IP20 white | 179 | 97 | 187x105 | 56 € | 266,09 |
| 1931N358201 | Atos RIQ 45A 2x 590-960 lm 5-9 W 150-250 mA 35 V 930 30° IP40 white | 179 | 97 | 187x105 | 67 € | 306,49 |
| 1931B15T201 | Atos RVQ 32A 2x 400-470 lm 5-6 W 125-150 mA 37 V 930 30° IP20 white | 200 | 116 | 187x105 | 43 € | 266,09 |
| 1931M358201 | Atos RVQ 45A 2x 590-960 lm 5-9 W 150-250 mA 35 V 930 30° IP40 white | 200 | 116 | 187x105 | 67 € | 306,49 |

| GELA | | | | | | |
|-----------------|--|----|----------|----|---|-------------|
| Code nummer | Code omschrijving | Ø | zaagmaat | H | | Bruto prijs |
| WL.GELA.7.530.1 | WL GELA inbouwspot Tube 7W 2700K 530lm triac dimbaar white | 91 | 83 | 85 | € | 120,00 |
| WL.GELA.7.530.2 | WL GELA inbouwspot Tube 7W 2700K 530lm triac dimbaar black | 91 | 83 | 85 | € | 120,00 |

| ATOS SURFACE CL | | | | | | |
|-----------------|--|-----|----|-----|---|-------------|
| Code nummer | Code omschrijving | L | B | H | | Bruto prijs |
| 1931715T241 | Atos CL 32A 2x 400 lm 11 W 930 30° FO IP20 white | 284 | 36 | 136 | € | 302,17 |

| PIPES C CF | | | | | | |
|-------------|--|-----|--|-----|---|-------------|
| Code nummer | Code omschrijving | Ø | | H | | Bruto prijs |
| 13052083T01 | Pipes C 45 DECO 1000 lm 14 W 930 FO 30° wht | 45 | | 165 | € | 226,00 |
| 13052013601 | Pipes C 100 PRO 2250 lm 22 W 930 FO 30° white | 100 | | 235 | € | 305,71 |
| 13052013B01 | Pipes C 100 DECO 2300 lm 22 W 930 FO 40° white | 100 | | 235 | € | 321,04 |
| 13059013B01 | Pipes CF 100 Deco 2300 lm 22W 930 FO 40° White | 100 | | 235 | € | 290,38 |

| PLAY DECO | | | | | | |
|-----------------|--|----|----|-----|--|-------------|
| Code nummer | Code omschrijving | Ø | B | H | | Bruto prijs |
| AG24-P7W9M2OUWP | Play Deco Symm Round Fixed Trimless 8.5 LED 3000K CRI 90 28° ON-OFF Trimless/White IP54 662lm | 74 | | 95 | | Op aanvraag |
| AG24-13W9M2OUWP | Play Deco Symm Round Fixed Trimless 14.3 LED 3000K CRI 90 34.5° ON-OFF Trimless/White IP54 1315lm | 74 | | 115 | | Op aanvraag |
| AG24-18W9M2OUWP | Play Deco Symm Round Fixed Trimless 19.8 LED 3000K CRI 90 33° ON-OFF Trimless/White IP54 1718lm | 74 | | 135 | | Op aanvraag |
| AG28-P7W9M2OUWP | Play Deco Symm Square Fixed Trimless 8.5 LED 3000K CRI 90 28° ON-OFF Trimless/White IP54 666lm | | 74 | 95 | | Op aanvraag |
| AG28-13W9M2OUWP | Play Deco Symm Square Fixed Trimless 14.3 LED 3000K CRI 90 34.6° ON-OFF Trimless/White IP54 1331lm | | 74 | 115 | | Op aanvraag |
| AG28-18W9M2OUWP | Play Deco Symm Square Fixed Trimless 19.8 LED 3000K CRI 90 33.3° ON-OFF Trimless/White IP54 1720lm | | 74 | 135 | | Op aanvraag |

| ZOE | | | | | | |
|---|--|-----|--|-----|---|-------------|
| Code nummer | Code omschrijving | Ø | | H | | Bruto prijs |
| Zoe Pendel uitvoering exclusief driver | | | | | | |
| Code nummer | Code omschrijving | | | | | |
| 167610D0ABBB | Zoe Z1 W 400-870 lm 5-12 W 150-350 mA 35 V 930 matte white/matte white with white cable 1500 mm | 132 | | 220 | € | 190,75 |
| 167620D0ABBB | Zoe Z2 W 540-1200 lm 5-12 W 150-350 mA 35 V 930 matte white/matte white with white cable 1500 mm | 210 | | 220 | € | 190,75 |
| 167630D0ABBB | Zoe Z3 W 300-670 lm 5-12 W 150-350 mA 35 V 930 matte white/matte white with white cable 1500 mm | 86 | | 330 | € | 215,49 |
| 167640D0ABBB | Zoe Z4 W 390-860 lm 5-12 W 150-350 mA 35 V 930 matte white/matte white with white cable 1500 mm | 210 | | 330 | € | 215,49 |
| 167650D0ABBB | Zoe Z5 W 540-1200 lm 5-12 W 150-350 mA 35 V 930 matte white/matte white with white cable 1500 mm | 210 | | 330 | € | 215,49 |
| 167660D0ABBB | Zoe Z6 W 400-870 lm 5-12 W 150-350 mA 35 V 930 matte white/matte white with white cable 1500 mm | 132 | | 330 | € | 215,49 |

| Code nummer | Code omschrijving | Ø | | H | | Bruto prijs |
|--|--|-----|--|-----|---|-------------|
| Zoe 3F Track Pendel uitvoering inclusief driver | | | | | | |
| 167615D4ABBB | Zoe Z1 TRK W 870 lm 14 W 930 FO matte white/matte white with white cable 1500 mm | 132 | | 220 | € | 257,63 |
| 16762534ABBB | Zoe Z2 TRK W 880 lm 10 W 930 FO matte white/matte white with white cable 1500 mm | 210 | | 220 | € | 257,63 |
| 167635D4ABBB | Zoe Z3 TRK W 670 lm 14 W 930 FO matte white/matte white with white cable 1500 mm | 86 | | 330 | € | 282,37 |
| 167645D4ABBB | Zoe Z4 TRK W 860 lm 14 W 930 FO matte white/matte white with white cable 1500 mm | 210 | | 330 | € | 282,37 |
| 16765534ABBB | Zoe Z5 TRK W 880 lm 10 W 930 FO matte white/matte white with white cable 1500 mm | 210 | | 330 | € | 282,37 |
| 167665D4ABBB | Zoe Z6 TRK W 870 lm 14 W 930 FO matte white/matte white with white cable 1500 mm | 132 | | 330 | € | 282,37 |

| Pipes S & Pipes S Track | | | | | | |
|---|---|---|-----|-----|---|-------------|
| Code nummer | Code omschrijving | Ø | | H | | Bruto prijs |
| Pipes S Pendel uitvoering | | | | | | |
| 13053983T020F00 | Pipes S 45 DECO 740-880 lm 8-10 W 200-250 mA 39 V 930 30° black with black cable 1500 mm | | 45 | 300 | € | 175,24 |
| 109R41A0002 | Ceiling cup RD 134 1x125-500mA 36V FO black | | | 134 | | 36 |
| 13053033A020112 | Pipes S RH 100 DECO 1750 lm 16 W 930 FO 30° black with susp 1500 mm transparent cable with black cup | | 100 | 235 | € | 308,89 |
| 13053013A020112 | Pipes S RH 100 DECO 2350 lm 22 W 930 FO 30° black with susp 1500 mm transparent cable with black cup | | 100 | 235 | € | 308,89 |
| Pipes S 3F Track Pendel uitvoering | | | | | | |
| 13053083T120F00 | Pipes S 45 DECO 880 lm 12 W 930 FO 30° black with black cable 1500 mm with Stucchi track adapter | | 45 | 300 | € | 242,13 |
| 13053033A120100 | Pipes S 100 DECO 1750 lm 16 W 930 FO 30° black with susp 1500 mm transparent cable with Stucchi track adapter | | 100 | 235 | € | 321,91 |
| 13053013B120100 | Pipes S 100 DECO 2300 lm 22 W 930 FO 30° black with susp 1500 mm transparent cable with Stucchi track adapter | | 100 | 235 | € | 321,91 |

| ISSA | | | | | | |
|-------------|---|-----|--|------|-------|-------------|
| Code nummer | Code omschrijving | L/H | | D | | Bruto prijs |
| ISSA | | | | | | |
| 1653020231 | Issa SV SOP 1900 lm 17 W 24 V 930 H1044 mm white with transparent cable 3000 mm | | | 1044 | 100 € | 329,78 |
| 1653125D231 | Issa SV SOP 1900 lm 17 W 24 V 930 with spot 20° H1068 mm white with transparent cable 3000 mm | | | 1068 | 100 € | 424,65 |
| 1652020231 | Issa SH SOP 1900 lm 17 W 24 V 930 L1065 mm white with transparent cable 3000 mm | | | 1065 | 100 € | 357,08 |

| Code nummer | Code omschrijving | € | |
|---------------------------------------|--|---|--------|
| Ceiling Cup | | | |
| 10011A00001 | Ceiling cup RF 115 D10 with hole 10 mm white | € | 27,30 |
| Constant voltage FO | | | |
| 702120244 | Driver LC 60W 24V FO | € | 53,24 |
| 702120245 | Driver LC 100W 24V FO | € | 69,68 |
| Constant voltage DALI | | | |
| 702120464 | Driver LC 35W 24V DALI-2 NF one4all | € | 90,87 |
| 702120469 | Driver LC 60W 24V DALI-2 NF one4all | € | 110,37 |
| 702120467 | Driver LC 100W 24V DALI-2 NF one4all | € | 153,27 |
| Code nummer Code omschrijving | | | |
| Constant current FO for spot | | | |
| 702120264 | Driver PF22 22W 125-500mA max.44V FO | € | 18,07 |
| Constant current DALI for spot | | | |
| 702120333 | Driver PF22D 22W 125-500mA 10-44V DALI | € | 51,94 |
| Ophanging | | | |
| 10001223001 | Adjustable wire suspension S10F L3000 mm white cap | € | 18,67 |
| | Ook in 1500mm en 5000mm | | |

Prolix LED

| Code nummer | Code omschrijving | Ø | H | Kolom1 | Bruto prijs |
|---------------|---|----|-----|--------|-------------|
| 00-8514-DN-DN | Pendant Prolix Recessed LED 7.6 LED warm-white 2700K PHASE CUT Matte gold 217lm + white ceiling cup | 38 | 200 | 65 | € 333,45 |
| 00-8514-05-05 | Pendant Prolix Recessed LED 7.6 LED warm-white 2700K PHASE CUT Black 217lm + white ceiling cup | 38 | 200 | 65 | € 319,55 |
| 00-8513-DN-DN | Pendant Prolix Surface LED 7.6 LED warm-white 2700K PHASE CUT Matte gold 217lm | 38 | 200 | | € 243,40 |
| 00-8513-05-05 | Pendant Prolix Surface LED 7.6 LED warm-white 2700K PHASE CUT Black 217lm | 38 | 200 | | € 224,00 |

Attic

| Code nummer | Code omschrijving | Ø | Pendellengte | Bruto prijs |
|---------------|--|-----|--------------|-------------|
| 00-7388-05-05 | Pendant Attic Rectangular Shape E27 15 Black 768lm | 150 | Max. 2883 | € 199,35 |
| 00-7389-05-05 | Pendant Attic Conic Shape E27 15 Black 916lm | 240 | Max. 2883 | € 222,55 |
| 00-9007-05-05 | Pendant Attic Single Hexagonal Shape E27 15 Black 1085lm | 200 | Max. 2883 | € 233,50 |
| 00-7392-05-05 | Pendant Attic Rectangular Shape V E27 15 Black 768lm | 150 | Max. 1200 | € 220,20 |
| 00-7393-05-05 | Pendant Attic Conic Shape V E27 15 Black 916lm | 240 | Max. 1200 | € 236,85 |
| 00-9042-05-05 | Pendant Attic Hexagonal Shape V 1200mm E27 15 Black 1085lm | 200 | Max. 1200 | € 219,75 |
| 00-7390-05-05 | Pendant Attic Rectangular Shape V E27 15 Black 768lm | 150 | Max. 2200 | € 232,95 |
| 00-7391-05-05 | Pendant Attic Conic Shape V E27 15 Black 916lm | 240 | Max. 2200 | € 254,00 |
| 00-9043-05-05 | Pendant Attic Hexagonal Shape V 2200mm E27 15 Black 1085lm | 200 | Max. 2200 | € 228,10 |

Nola

| Code nummer | Code omschrijving | D | H | Bruto prijs |
|---------------|---|-----|-----|-------------|
| 1829301G2BB11 | Nola S RG SOP 600-1150 lm 6-13 W 250-500 mA 25 V 930 IP20 matte white/matte white + white cable 1500 mm | 110 | 102 | € 156,09 |
| 1829301G2DD12 | Nola S RG SOP 600-1150 lm 6-13 W 250-500 mA 25 V 930 IP20 matte black/matte black + black cable 1500 mm | 110 | 102 | € 156,09 |
| 1829303G2BB11 | Nola S RG DPR 630-1200 lm 6-13 W 250-500 mA 25 V 930 IP20 matte white/matte white + white cable 1500 mm | 110 | 102 | € 156,09 |
| 1829303G2DD12 | Nola S RG DPR 630-1200 lm 6-13 W 250-500 mA 25 V 930 IP20 matte black/matte black + black cable 1500 mm | 110 | 102 | € 156,09 |
| 10001223001 | Adjustable wire suspension S10F L3000 mm white cap | | | € 18,67 |
| 10011M00001 | Ceiling cup RF 115 D5 with hole 5 mm white | | | € 27,30 |
| 10011M00002 | Ceiling cup RF 115 D5 with hole 5 mm black | | | € 27,30 |

Modus WL LED MP-OP

| Code nummer | Code omschrijving | L | B | H | Bruto prijs |
|---------------------|--|------|-----|----|-------------|
| MWLMPOP.30.3300.153 | MODUS WL LED MP OP 3000K 30W 3500lm grey | 1545 | 160 | 55 | € 183,00 |
| MWLMPOP.41.5050.153 | MODUS WL LED MP OP 3000K 41W 5350lm grey | 1545 | 245 | 55 | € 261,00 |
| MWLMPOP.42.3600.123 | MODUS WL LED MP OP 3000K 37W 4450lm Grey | 1245 | 245 | 55 | € 207,00 |
| MWL.SUSP | WL Y-SUSPENSION 2000mm set | | | | € 26,08 |
| WL.POWERCABLE.3075 | Transparante voedingskabel 3x0,75mm 2m incl. plafonddoos | | | | € 22,00 |

Kalis Suspendend Direct & Direc

| Code nummer | Code omschrijving | L | B | H | Bruto prijs |
|-------------------------|--|------|----|------|-------------|
| Direct: | | | | | |
| 1725141G10302 | Kalis 65 C/S SOP 2350 lm 29 W 930 L1125 mm FO IP43 black | 1125 | 36 | 65 | € 281,42 |
| 1725141G10H02 | Kalis 65 C/S SOP 3400 lm 39 W 930 L1592 mm FO IP43 black | 1592 | 36 | 65 | € 342,59 |
| Direct/indirect: | | | | | |
| 1727141G10302 | Kalis 65 SDI SOP 2350+2200 lm 48 W 930 L1125 mm FO IP20 black | 1125 | 36 | 65 | € 411,43 |
| 1727141G10H02 | Kalis 65 SDI SOP 3400+3400 lm 71 W 930 L1592 mm FO IP20 black | 1592 | 36 | 65 | € 594,93 |
| Benodigheden | | | | | |
| 10001221502 | Adjustable wire suspension S10F 1500 mm black (2 stuks nodig per pendelarmatuur) | | | 1500 | € 15,64 |

| | | | | | | |
|-------------|--|-----|----|----|---|-------|
| 10011411522 | surface Ceiling cup LS 160 with black cable 3x0,75 mm2 SH1500 mm black | 163 | 36 | 44 | € | 47,97 |
|-------------|--|-----|----|----|---|-------|

Gyon Suspend Direct & Direct

| Code nummer | Code omschrijving | L | B | H | | Bruto prijs |
|-------------------------|---|------|----|----|---|-------------|
| Direct: | | | | | | |
| 1702341G10301 | Gyon C/S SOP 2500 lm 27 W 930 L1136 mm FO IP43 white | 1136 | 70 | 88 | € | 327,52 |
| 1702341G10401 | Gyon C/S SOP 3100 lm 34 W 930 L1416 mm FO IP43 white | 1416 | 70 | 88 | € | 367,77 |
| 1702441G10301 | Gyon C/S DPR 2650 lm 27 W 930 L1136 mm FO IP43 white | 1136 | 70 | 88 | € | 327,52 |
| 1702441G10401 | Gyon C/S DPR 3300 lm 34 W 930 L1416 mm FO IP43 white | 1416 | 70 | 88 | € | 367,77 |
| Direct/indirect: | | | | | | |
| 1703341G10301 | Gyon SDI SOP 2500+1750 lm 48 W 930 L1136 mm FO IP20 white | 1136 | 70 | 88 | € | 434,58 |
| 1703341G10401 | Gyon SDI SOP 3100+2350 lm 61 W 930 L1416 mm FO IP20 white | 1416 | 70 | 88 | € | 490,76 |
| 1703441G10301 | Gyon SDIDPR 2650+1750 lm 48 W 930 L1136 mm FO IP20 white | 1136 | 70 | 88 | € | 434,58 |
| 1703441G10401 | Gyon SDI DPR 3300+2350 lm 61 W 930 L1416 mm FO IP20 white | 1416 | 70 | 88 | € | 490,76 |
| Benodigdheden | | | | | | |
| 10001221501 | Adjustable wire suspension S10F L1500 mm white cap | | | | € | 15,64 |
| 10001223001 | Adjustable wire suspension S10F L3000 mm white cap | | | | € | 16,67 |
| 10011A11591 | Ceiling cup RF115 with transparent cable 3x0,75 mm2 SH1500 mm white | | | | € | 48,88 |
| 10011A13091 | Ceiling cup RF115 with transparent cable 3x0,75 mm2 SH3000 mm white | | | | € | 59,02 |

Lona S

| Code nummer | Code omschrijving | Ø | H | | Bruto prijs |
|--|--|-----|----|---|-------------|
| 18021R00111 | Lona S 300 h45 SOP 880-1350 lm 7-11 W 200-300 mA 37 V 930 IP20 white + white cable 1500 mm | 301 | 45 | € | 165,77 |
| 18022R00111 | Lona S 400 h45 SOP 1400-2800 lm 11-23 W 350-700 mA 32 V 930 IP20 white + white cable 1500 mm | 401 | 45 | € | 272,87 |
| Ceilingcup incl. aan/uit driver | | | | | |
| 109U41A0001 | Round RD 170 D 170 H29 1x125-500mA 36V FO white | 170 | 29 | | op aanvraag |
| 109U41C0001 | Round RD 170 D 170 H29 1x300-1050mA 36V FO white | 170 | 29 | € | 103,74 |
| 10001231501 | Adjustable Y wire suspension set S12Y3 L1500 mm white cap | | | € | 26,57 |

DEMI R Air HMP

| Code nummer | Code omschrijving | L | B | H | | Bruto prijs |
|--------------|--|------|-----|----|---|-------------|
| 11411149D101 | Demi RV air HMP 2200 lm 20 W 930 FO 100x1699 mm IP20 white | 1699 | 100 | 88 | € | 289,76 |
| 11411149F101 | Demi RV air HMP 3900 lm 38 W 930 FO 100x1699 mm IP20 white | 1699 | 100 | 88 | € | 289,76 |
| 1141114AD101 | Demi RV air HMP 2200 lm 20 W 930 FO 150x1699 mm IP20 white | 1699 | 150 | 88 | € | 297,22 |
| 1141114AF101 | Demi RV air HMP 3900 lm 38 W 930 FO 150x1699 mm IP20 white | 1699 | 150 | 88 | € | 297,22 |
| 1141114BD101 | Demi RV air HMP 2200 lm 20 W 930 FO 100x1720 mm IP20 white | 1720 | 100 | 88 | € | 297,22 |
| 1141114BF101 | Demi RV air HMP 3900 lm 38 W 930 FO 100x1720 mm IP20 white | 1720 | 100 | 88 | € | 297,22 |
| 1141114CD101 | Demi RV air HMP 2200 lm 20 W 930 FO 150x1720 mm IP20 white | 1720 | 150 | 88 | € | 304,53 |
| 1141114CF101 | Demi RV air HMP 3900 lm 38 W 930 FO 150x1720 mm IP20 white | 1720 | 150 | 88 | € | 304,53 |

101 WL MP OP bandraster

| Code nummer | Code omschrijving | L | B | H | | Bruto prijs |
|-------------|---|------|-------------|----|--|-------------|
| Op aanvraag | 101 WL LED MP OP bandraster 1699x100/150/185mm 3000K FO white + GST3P | 1699 | 100/150/185 | 52 | | op aanvraag |
| Op aanvraag | 101 WL LED MP OP bandraster 1699x100/150/185mm 3000K DALI white + GST3P | 1699 | 100/150/185 | 52 | | op aanvraag |
| Op aanvraag | 101 WL LED MP OP bandraster 1720x100/150/185mm 3000K FO white + GST3P | 1720 | 100/150/185 | 52 | | op aanvraag |
| Op aanvraag | 101 WL LED MP OP bandraster 1720x100/150/185mm 3000K DALI white + GST3P | 1720 | 100/150/185 | 52 | | op aanvraag |

102 R WL LENS Bandrasterarmatuur

| Code nummer | Code omschrijving | L | B | H | | Bruto prijs |
|------------------------------|--|------|-----|----|--|-------------|
| 102.WL.LI.100.28.4000.631.12 | 102 R WL LED LI 80° 28W 4000lm 3000K FO BLACK louvre + GST3P | 1699 | 100 | 25 | | op aanvraag |
| 102.WL.LI.150.28.4000.631.12 | 102 R WL LED LI 80° 28W 4000lm 3000K FO BLACK louvre + GST3P | 1699 | 150 | 25 | | op aanvraag |
| 102.WL.LI.100.28.4000.731.12 | 102 R WL LED LI 80° 28W 4000lm 3000K FO BLACK louvre + GST3P 1 | 1720 | 100 | 25 | | op aanvraag |
| 102.WL.LI.150.28.4000.731.12 | 102 R WL LED LI 80° 28W 4000lm 3000K FO BLACK louvre + GST3P 1 | 1720 | 150 | 25 | | op aanvraag |
| 102.WL.LI.100.28.4400.631.11 | 102 R WL LED LI 80° 28W 4400lm 3000K FO WHITE louvre + GST3P 1 | 1699 | 100 | 25 | | op aanvraag |
| 102.WL.LI.150.28.4400.631.11 | 102 R WL LED LI 80° 28W 4400lm 3000K FO WHITE louvre + GST3P 1 | 1699 | 150 | 25 | | op aanvraag |
| 102.WL.LI.100.28.4400.731.11 | 102 R WL LED LI 80° 28W 4400lm 3000K FO WHITE louvre + GST3P 1 | 1720 | 100 | 25 | | op aanvraag |
| 102.WL.LI.150.28.4400.731.11 | 102 R WL LED LI 80° 28W 4400lm 3000K FO WHITE louvre + GST3P 1 | 1720 | 150 | 25 | | op aanvraag |

Rekta 20

| Code nummer | Code omschrijving | L | B | H | | Bruto prijs |
|-------------------|--|------|----|----|---|-------------|
| 07.42000443-9999 | Rekta 20 SATIN NODIM 3000K 150mA 1123MM in RAL n.t.b. | 1123 | 20 | 32 | € | 162,30 |
| 07.42050443-9999 | Rekta 20 Lens Reflector Black NODIM 150mA 1123MM 3000K in RAL n.t.b. | 1123 | 20 | 32 | € | 172,30 |
| Z7.4210600-0625S1 | R20 driver voor 1 armatuur + GST | | | | € | 65,00 |

Rekta 30

| Code nummer | Code omschrijving | L | B | H | | Bruto prijs |
|------------------|---|------|----|----|---|-------------|
| 07.23000643-9999 | R30 TLL SAPP SATIN NODIM HO325 1124MM 3000K in RAL n.t.b. | 1124 | 30 | 90 | € | 224,00 |

LP WL Novara Bandraستر armatuur

| Code nummer | Code omschrijving | L | B | H | Bruto prijs |
|------------------------|---|------|-----|----|-------------|
| WL.NOVARA.1.30.3000.W | WL LP NOVARA 75° 30W 3600lm 3000K FO WHITE louvre + GST3p | 1720 | 105 | 28 | op aanvraag |
| WL.NOVARA.1.30.4000.W | WL LP NOVARA 75° 30W 3600lm 4000K FO WHITE louvre + GST3p | 1720 | 105 | 28 | op aanvraag |
| WL.NOVARA.1.30.3000.G | WL LP NOVARA 75° 30W 3600lm 3000K FO GREY louvre + GST3p | 1720 | 105 | 28 | op aanvraag |
| WL.NOVARA.1.30.4000.G | WL LP NOVARA 75° 30W 3600lm 4000K FO GREY louvre + GST3p | 1720 | 105 | 28 | op aanvraag |
| WL.NOVARA.1.30.3000.HG | WL LP NOVARA 75° 30W 3700lm 3000K FO GLOSS louvre + GST3p | 1720 | 105 | 28 | op aanvraag |
| WL.NOVARA.1.30.4000.HG | WL LP NOVARA 75° 30W 3700lm 4000K FO GLOSS louvre + GST3p | 1720 | 105 | 28 | op aanvraag |
| WL.NOVARA.1.40.3000.B | WL LP NOVARA 75° 40W 3200lm 3000K FO BLACK louvre + GST3p | 1720 | 105 | 28 | op aanvraag |
| WL.NOVARA.1.40.4000.B | WL LP NOVARA 75° 40W 3200lm 4000K FO BLACK louvre + GST3p | 1720 | 105 | 28 | op aanvraag |

Track en Spots

| 3 fase track | Code omschrijving | Bruto prijs |
|---|-------------------------------------|-------------|
| WL-0410-W | Surface mounted track 1000mm white | € 36,00 |
| WL-0410-S | Surface mounted track 1000mm grey | € 36,00 |
| WL-0410-B | Surface mounted track 1000mm black | € 36,00 |
| WL-0420-W | Surface mounted track 2000mm white | € 69,51 |
| WL-0420-S | Surface mounted track 2000mm grey | € 69,51 |
| WL-0420-B | Surface mounted track 2000mm black | € 69,51 |
| WL-0430-W | Surface mounted track 3000mm white | € 104,25 |
| WL-0430-S | Surface mounted track 3000mm grey | € 104,25 |
| WL-0430-B | Surface mounted track 3000mm black | € 104,25 |
| 3 fase track Connectie Accessoires | | |
| WL-0431 L-W | Connector Left white | € 15,05 |
| WL-0431 L-S | Connector Left grey | € 15,05 |
| WL-0431 L-B | Connector Left black | € 15,05 |
| WL-0431 R-W | Connector Right white | € 15,05 |
| WL-0431 R-S | Connector Right grey | € 15,05 |
| WL-0431 R-B | Connector Right black | € 15,05 |
| WL-0433-W | Coupler white | € 9,00 |
| WL-0433-S | Coupler grey | € 9,00 |
| WL-0433-B | Coupler black | € 9,00 |
| WL-0434-W | Middle connector white | € 30,75 |
| WL-0434-S | Middle connector grey | € 30,75 |
| WL-0434-B | Middle connector black | € 30,75 |
| WL-0432-W | End cap white | € 2,02 |
| WL-0432-S | End cap grey | € 2,02 |
| WL-0432-B | End cap black | € 2,02 |
| WL-0439-W | Flexible connector white | € 56,09 |
| WL-0439-S | Flexible connector grey | € 56,09 |
| WL-0439-B | Flexible connector black | € 56,09 |
| WL-M435-W | Adjustable connector white | € 39,60 |
| WL-M435-S | Adjustable connector grey | € 39,60 |
| WL-M435-B | Adjustable connector black | € 39,60 |
| WL-0437-W | X connector white | € 51,27 |
| WL-0437-S | X connector grey | € 51,27 |
| WL-0437-B | X connector black | € 51,27 |
| WL-M438-W | Twisted L connector (L and R) white | € 32,55 |
| WL-M438-S | Twisted L connector (L and R) grey | € 32,55 |
| WL-M438-B | Twisted L connector (L and R) black | € 32,55 |
| WL-M436L-W | Twisted T connector L1->L2 white | € 44,79 |
| WL-M436L-S | Twisted T connector L1->L2 grey | € 44,79 |
| WL-M436L-B | Twisted T connector L1->L2 black | € 44,79 |
| WL-M436R-W | Twisted T connector R1->R2 white | € 44,79 |
| WL-M436R-S | Twisted T connector R1->R2 grey | € 44,79 |
| WL-M436R-B | Twisted T connector R1->R2 black | € 44,79 |
| WL-0435 L-W | L Connector Left white | € 25,78 |
| WL-0435 L-S | L Connector Left grey | € 25,78 |
| WL-0435 L-B | L Connector Left black | € 25,78 |
| WL-0435 R-W | L Connector Right white | € 25,78 |
| WL-0435 R-S | L Connector Right grey | € 25,78 |
| WL-0435 R-B | L Connector Right black | € 25,78 |
| WL-0436 L1-W | T Connector Left1 white | € 36,32 |
| WL-0436 L1-S | T Connector Left1 grey | € 36,32 |
| WL-0436 L1-B | T Connector Left1 black | € 36,32 |
| WL-0436 L2-W | T Connector Left2 white | € 36,32 |
| WL-0436 L2-S | T Connector Left2 grey | € 36,32 |
| WL-0436 L2-B | T Connector Left2 black | € 36,32 |
| WL-0436 R1-W | T Connector Right1 white | € 36,32 |

| | | | |
|---|---|---|--------|
| WL-0436 R1-S | T Connector Right1 grey | € | 36,32 |
| WL-0436 R1-B | T Connector Right1 black | € | 36,32 |
| WL-0436 R2-W | T Connector Right2 white | € | 36,32 |
| WL-0436 R2-S | T Connector Right2 grey | € | 36,32 |
| WL-0436 R2-B | T Connector Right2 black | € | 36,32 |
| 3 fase track Suspensie en Algemene Accessoires | | | |
| WL-0418SK-W | Suspension connection clamp white | € | 10,16 |
| WL-0418SK-S | Suspension connection clamp grey | € | 10,16 |
| WL-0418SK-B | Suspension connection clamp black | € | 10,16 |
| WL-EZ0449-W | Wire suspension EZCLICK 5M NEW white | € | 17,93 |
| WL-EZ0449-S | Wire suspension EZCLICK 5M NEW grey | € | 17,93 |
| WL-EZ0449-B | Wire suspension EZCLICK 5M NEW black | € | 17,93 |
| WL-045K-W | Mounting clamp white | € | 3,82 |
| WL-045K-S | Mounting clamp grey | € | 3,82 |
| WL-045K-B | Mounting clamp black | € | 3,29 |
| WL-M142-W | Suspension hook white | € | 3,68 |
| WL-M142-S | Suspension hook grey | € | 3,68 |
| WL-M142-B | Suspension hook black | € | 3,68 |
| WL-0449-W | Mechanical adapter white | € | 12,32 |
| WL-0449-S | Mechanical adapter grey | € | 12,32 |
| WL-0449-B | Mechanical adapter black | € | 12,32 |
| WL-4230V-W | Schuko adapter white | € | 40,11 |
| WL-4230V-B | Schuko adapter black | € | 40,11 |
| WL-0440-W | Classic 3 circuits adapter white | € | 13,82 |
| WL-0440-S | Classic 3 circuits adapter grey | € | 13,82 |
| WL-0440-B | Classic 3 circuits adapter black | € | 13,82 |
| WL-M510-W | PVC strain relief white | € | 2,88 |
| WL-M510-S | PVC strain relief grey | € | 2,88 |
| WL-M510-B | PVC strain relief black | € | 2,88 |
| 3 fase track Dalí | | | |
| WL-0610-W | Surface mounted track Dalí 1000mm white | € | 44,50 |
| WL-0610-S | Surface mounted track Dalí 1000mm grey | € | 44,50 |
| WL-0610-B | Surface mounted track Dalí 1000mm black | € | 44,50 |
| WL-0620-W | Surface mounted track Dalí 2000mm white | € | 87,63 |
| WL-0620-S | Surface mounted track Dalí 2000mm grey | € | 87,63 |
| WL-0620-B | Surface mounted track Dalí 2000mm black | € | 87,63 |
| WL-0630-W | Surface mounted track Dalí 3000mm white | € | 129,17 |
| WL-0630-S | Surface mounted track Dalí 3000mm grey | € | 129,17 |
| WL-0630-B | Surface mounted track Dalí 3000mm black | € | 129,17 |
| 3 fase track Dalí Connectie Accessoires | | | |
| WL-D631 L-W | Connector Left Dalí 3 circuit white | € | 20,60 |
| WL-D631 L-S | Connector Left Dalí 3 circuit grey | € | 20,60 |
| WL-D631 L-B | Connector Left Dalí 3 circuit black | € | 20,60 |
| WL-D631 R-W | Connector Right Dalí 3 circuit white | € | 20,60 |
| WL-D631 R-S | Connector Right Dalí 3 circuit grey | € | 20,60 |
| WL-D631 R-B | Connector Right Dalí 3 circuit black | € | 20,60 |
| WL-D633-W | Coupler Dalí 3 circuit white | € | 14,26 |
| WL-D633-S | Coupler Dalí 3 circuit grey | € | 14,26 |
| WL-D633-B | Coupler Dalí 3 circuit black | € | 14,26 |
| WL-D634-W | Middle connector Dalí 3 circuit white | € | 40,11 |
| WL-D634-S | Middle connector Dalí 3 circuit grey | € | 40,11 |
| WL-D634-B | Middle connector Dalí 3 circuit black | € | 40,11 |
| WL-0432-W | End cap white | € | 2,02 |
| WL-0432-S | End cap grey | € | 2,02 |
| WL-0432-B | End cap black | € | 2,02 |
| WL-D639-W | Flexible connector Dalí 3 circuit white | € | 56,02 |
| WL-D639-S | Flexible connector Dalí 3 circuit grey | € | 56,02 |
| WL-D639-B | Flexible connector Dalí 3 circuit black | € | 56,02 |
| WL-D637-W | X connector Dalí 3 circuit white | € | 78,34 |
| WL-D637-S | X connector Dalí 3 circuit grey | € | 78,34 |
| WL-D637-B | X connector Dalí 3 circuit black | € | 78,34 |
| WL-D635 L-W | L Connector Left Dalí 3 circuit white | € | 40,90 |
| WL-D635 L-S | L Connector Left Dalí 3 circuit grey | € | 40,90 |
| WL-D635 L-B | L Connector Left Dalí 3 circuit black | € | 40,90 |
| WL-D635 R-W | L Connector Right Dalí 3 circuit white | € | 40,90 |
| WL-D635 R-S | L Connector Right Dalí 3 circuit grey | € | 40,90 |
| WL-D635 R-B | L Connector Right Dalí 3 circuit black | € | 40,90 |

| | | | |
|--------------|---|---|-------|
| WL-D636 L1-W | T Connector Left1 Dall 3 circuit white | € | 60,94 |
| WL-D636 L1-S | T Connector Left1 Dall 3 circuit grey | € | 60,94 |
| WL-D636 L1-B | T Connector Left1 Dall 3 circuit black | € | 60,94 |
| WL-D636 L2-W | T Connector Left2 Dall 3 circuit white | € | 60,94 |
| WL-D636 L2-S | T Connector Left2 Dall 3 circuit grey | € | 60,94 |
| WL-D636 L2-B | T Connector Left2 Dall 3 circuit black | € | 60,94 |
| WL-D636 R1-W | T Connector Right1 Dall 3 circuit white | € | 60,94 |
| WL-D636 R1-S | T Connector Right1 Dall 3 circuit grey | € | 60,94 |
| WL-D636 R1-B | T Connector Right1 Dall 3 circuit black | € | 60,94 |
| WL-D636 R2-W | T Connector Right2 Dall 3 circuit white | € | 60,94 |
| WL-D636 R2-S | T Connector Right2 Dall 3 circuit grey | € | 60,94 |
| WL-D636 R2-B | T Connector Right2 Dall 3 circuit black | € | 60,94 |

3 fase track Dall Suspensie en algemene Accessoires

| | | | |
|-------------|--------------------------------------|---|-------|
| WL-0418SK-W | Suspension connection clamp white | € | 10,16 |
| WL-0418SK-S | Suspension connection clamp grey | € | 10,16 |
| WL-0418SK-B | Suspension connection clamp black | € | 10,16 |
| WL-EZ0449-W | Wire suspension EZCLICK 5M NEW white | € | 17,93 |
| WL-EZ0449-S | Wire suspension EZCLICK 5M NEW grey | € | 17,93 |
| WL-EZ0449-B | Wire suspension EZCLICK 5M NEW black | € | 17,93 |
| WL-04SK-W | Mounting clamp white | € | 3,82 |
| WL-04SK-S | Mounting clamp grey | € | 3,82 |
| WL-04SK-B | Mounting clamp black | € | 3,82 |
| WL-M142-W | Suspension hook white | € | 3,68 |
| WL-M142-S | Suspension hook grey | € | 3,68 |
| WL-M142-B | Suspension hook black | € | 3,68 |
| WL-0449-W | Mechanical adapter white | € | 12,32 |
| WL-0449-S | Mechanical adapter grey | € | 12,32 |
| WL-0449-B | Mechanical adapter black | € | 12,32 |

WL 3F Milano

| Code nummer | Code omschrijving | Ø | H | Bruto prijs |
|---------------------|---|----|-----|-------------|
| WL.MILANO.7.625.1 | 3F Tracklight Milano 7W 2700K Dimbaar White | 60 | 120 | € 69,00 |
| WL.MILANO.7.625.2 | 3F Tracklight Milano 7W 2700K Dimbaar Black | 60 | 120 | € 69,00 |
| Accessoires | | | | |
| WL.MILANO.REF.24 | Reflector 24° | | | € 9,25 |
| WL.MILANO.RING.GOLD | Goudkleurige ring | | | € 9,25 |

WL 3F Milano XL

| Code nummer | Code omschrijving | Ø | H | Bruto prijs |
|-------------------|---|----|-----|-------------|
| WL.MILANO.XL.27.1 | WL Trackspot 3F 17W Milano XL Triac Dim 927 2.000 Lumen White | 72 | 188 | € 129,50 |
| WL.MILANO.XL.27.2 | WL Trackspot 3F 17W Milano XL Triac Dim 927 2.000 Lumen Black | 72 | 188 | € 129,50 |
| WL.MILANO.XL.30.1 | WL Trackspot 3F 17W Milano XL Triac Dim 930 2.000 Lumen White | 72 | 188 | € 129,50 |
| WL.MILANO.XL.30.2 | WL Trackspot 3F 17W Milano XL Triac Dim 930 2.000 Lumen Black | 72 | 188 | € 129,50 |

WL 3F Palermo CCT

| Code nummer | Code omschrijving | Ø | H | Bruto prijs |
|------------------|---|----|-----|-------------|
| WL.PALERMO.CCT.1 | WL PALERMO Trackspot 3F 20-25-30W 2000-2500-3000lm CCT FO white | 90 | 130 | € 99,00 |
| WL.PALERMO.CCT.2 | WL PALERMO Trackspot 3F 20-25-30W 2000-2500-3000lm CCT FO black | 90 | 130 | € 99,00 |

WL 3F Sienna RGB-W Casambi

| Code nummer | Code omschrijving | Ø | H | Bruto prijs |
|------------------|--|-----|-----|-------------|
| WL.SIENNA.RGBW.1 | WL Casambi Trackspot 3F RGB-W 3000K 1200 Lumen White | 106 | 123 | € 351,50 |
| WL.SIENNA.RGBW.2 | WL Casambi Trackspot 3F RGB-W 3000K 1200 Lumen Black | 106 | 123 | € 351,50 |

WL 3F Terra Lijn armatuur

| Code nummer | Code omschrijving | L | B | Bruto prijs |
|-------------------|--|------|----|-------------|
| WL.TERRA.90.60.B | Terra Lineair armatuur 15-30W 3000-4000-6000K 160lm/W 90 graden lens Zwart | 600 | 45 | € 134,76 |
| WL.TERRA.90.120.B | Terra Lineair armatuur 40-55W 3000-4000-6000K 160lm/W 90 graden lens Zwart | 1190 | 45 | € 176,79 |
| WL.TERRA.90.60.W | Terra Lineair armatuur 15-30W 3000-4000-6000K 160lm/W 90 graden lens Wit | 600 | 45 | € 134,76 |
| WL.TERRA.90.120.W | Terra Lineair armatuur 40-55W 3000-4000-6000K 160lm/W 90 graden lens Wit | 1190 | 45 | € 176,79 |

WL 3F Terra Lijn armatuur opaal

| Code nummer | Code omschrijving | L | B | Bruto prijs |
|--------------------|--|------|----|-------------|
| WL.TERRA.120.60.B | Terra Lineair armatuur 15-30W 3000-4000-6000K 130lm/W 90 graden lens Zwart | 600 | 45 | € 132,91 |
| WL.TERRA.120.120.B | Terra Lineair armatuur 40-55W 3000-4000-6000K 130lm/W 90 graden lens Zwart | 1190 | 45 | € 172,72 |
| WL.TERRA.120.60.W | Terra Lineair armatuur 15-30W 3000-4000-6000K 130lm/W 90 graden lens Wit | 600 | 45 | € 132,91 |
| WL.TERRA.120.120.W | Terra Lineair armatuur 40-55W 3000-4000-6000K 130lm/W 90 graden lens Wit | 1190 | 45 | € 172,72 |

Kalis Track

| Code nummer | Code omschrijving | L | B | H | Bruto prijs |
|---------------|---|-----|----|----|-------------|
| 173T241F10A01 | Kalis 55 T DPR 1050 lm 11 W 930 L659 mm FO IP20 white | 659 | 36 | 55 | € 334,63 |

| | | | | | | |
|---------------|--|------|----|----|---|--------|
| 173T241F10201 | Kalis 55 T DPR 1350 lm 15 W 930 L845 mm FO IP20 white | 845 | 36 | 55 | € | 334,63 |
| 173T241F10301 | Kalis 55 T DPR 1800 lm 19 W 930 L1125 mm FO IP20 white | 1125 | 36 | 55 | € | 365,29 |
| 173T241F10401 | Kalis 55 T DPR 2250 lm 23 W 930 L1405 mm FO IP20 white | 1405 | 36 | 55 | € | 395,80 |
| 173T241F10501 | Kalis 55 T DPR 2700 lm 28 W 930 L1685 mm FO IP20 white | 1685 | 36 | 55 | € | 426,47 |
| 173T241F10601 | Kalis 55 T DPR 3200 lm 32 W 930 L1965 mm FO IP20 white | 1965 | 36 | 55 | € | 472,31 |
| 173T141F10A01 | Kalis 55 T SOP 970 lm 11 W 930 L659 mm FO IP20 white | 659 | 36 | 55 | € | 334,63 |
| 173T141F10201 | Kalis 55 T SOP 1250 lm 15 W 930 L845 mm FO IP20 white | 845 | 36 | 55 | € | 334,63 |
| 173T141F10301 | Kalis 55 T SOP 1650 lm 19 W 930 L1125 mm FO IP20 white | 1125 | 36 | 55 | € | 365,29 |
| 173T141F10401 | Kalis 55 T SOP 2050 lm 23 W 930 L1405 mm FO IP20 white | 1405 | 36 | 55 | € | 395,80 |
| 173T141F10501 | Kalis 55 T SOP 2700 lm 28 W 930 L1685 mm FO IP20 white | 1685 | 36 | 55 | € | 426,47 |
| 173T141F10601 | Kalis 55 T DPR 2900 lm 32 W 930 L1965 mm FO IP20 white | 1965 | 36 | 55 | € | 472,31 |

Atom Track

| Code nummer | Code omschrijving | Ø | H | Bruto prijs |
|---------------|--|----|-----|-------------|
| 35-7291-14-XB | Spotlight Atom Track 52 14.3 LED warm-white 3000K CRI 90 35.1° CASAMBI White 1342lm | 52 | 90 | op aanvraag |
| 35-7291-60-XB | Spotlight Atom Track 52 14.3 LED warm-white 3000K CRI 90 35.1° CASAMBI Black 1342lm | 52 | 90 | op aanvraag |
| 35-A061-14-XB | Spotlight Atom Track 52 Zoom 16°-47° 15.3 LED warm-white 3000K CRI 90 CASAMBI White 1180lm | 52 | 90 | op aanvraag |
| 35-A061-60-XB | Spotlight Atom Track 52 Zoom 16°-47° LED warm-white 3000K CRI 90 44.6° CASAMBI Black 1180m | 52 | 90 | op aanvraag |
| 35-7310-14-XB | Spotlight Atom Track 75 27.5 LED warm-white 3000K CRI 90 37° CASAMBI White 2336lm | 75 | 130 | op aanvraag |
| 35-7310-60-XB | Spotlight Atom Track 75 27.5 LED warm-white 3000K CRI 90 37° CASAMBI Black 2336lm | 75 | 130 | op aanvraag |
| 35-7327-14-XB | Spotlight Atom Track 97 40.5 LED warm-white 3000K CRI 90 26.3° CASAMBI White 4118lm | 97 | 170 | op aanvraag |
| 35-7327-60-XB | Spotlight Atom Track 97 40.5 LED warm-white 3000K CRI 90 26.3° CASAMBI Black 4116lm | 97 | 170 | op aanvraag |

Strom

| Code nummer | Code omschrijving | Ø | H | Bruto prijs |
|---------------|--|----|-----|-------------|
| 35-A090-H2-OS | Spotlight Strom 23.6 LED warm-white 3000K CRI 92 15° ON-OFF Textured white 2272lm | 55 | 120 | € 140,30 |
| 35-A090-G7-OS | Spotlight Strom 23.6 LED warm-white 3000K CRI 92 15° ON-OFF Textured black 2272lm | 55 | 120 | € 140,30 |
| 35-A175-H2-OS | Spotlight Strom Track Zoom 12.5 LED warm-white 3000K CRI 90 15°-45° ON-OFF Textured white 1044lm | 55 | 120 | € 258,90 |
| 35-A175-G7-OS | Spotlight Strom Track Zoom 12.5 LED warm-white 3000K CRI 90 15°-45° ON-OFF Textured black 1044lm | 55 | 120 | € 258,90 |
| 35-A118-H2-OS | Spotlight Strom 34 LED warm-white 3000K CRI 92 15° ON-OFF Textured white 3294lm | 80 | 138 | € 173,40 |
| 35-A118-G7-OS | Spotlight Strom 34 LED warm-white 3000K CRI 92 15° ON-OFF Textured black 3294lm | 80 | 138 | € 173,40 |
| 35-A178-H2-OS | Spotlight Strom Track Zoom 24 LED warm-white 3000K CRI 90 15°-45° ON-OFF Textured white 2267lm | 80 | 138 | € 279,90 |
| 35-A178-G7-OS | Spotlight Strom Track Zoom 24 LED warm-white 3000K CRI 90 15°-45° ON-OFF Textured black 2267lm | 80 | 138 | € 279,90 |

Lona Track 3F

| Code nummer | Code omschrijving | Ø | H | Bruto prijs |
|--------------|---|-----|----|-------------|
| 180411R41BB1 | Lona T 300 h45 SOP 1150 lm 13 W 930 FO IP40 white | 300 | 45 | € 278,07 |
| 180411R41DD2 | Lona T 300 h45 SOP 1150 lm 13 W 930 FO IP40 black | 300 | 45 | € 284,57 |
| 180421R41BB1 | Lona T 400 h45 SOP 2200 lm 20 W 930 FO IP40 white | 400 | 45 | € 388,57 |
| 180421R41DD2 | Lona T 400 h45 SOP 1950 lm 20 W 930 FO IP40 black | 400 | 45 | € 396,37 |

48v track inbouw

| Code nummer | Code omschrijving | L | B | H | Kolom1 | Bruto prijs |
|---------------|---|------|-------|----|---------|-------------|
| 71-7630-60-00 | Track Recessed 1000mm Low voltage Black | 1000 | 26/74 | 54 | 54x1000 | € 144,85 |
| 71-7631-60-00 | Track Recessed 2000mm Low voltage Black | 2000 | 26/74 | 54 | 54x2000 | € 273,95 |
| 71-7632-60-00 | Track Recessed 3000mm Low voltage Black | 3000 | 26/74 | 54 | 54x3000 | € 409,80 |
| 71-7634-00-00 | Installation kit | | | | | € 57,85 |
| 71-7633-60-00 | I joint for Recessed / Up&Down Track | | | | | € 49,30 |
| 71-7706-60-00 | L joint for Recessed Track | | | | | € 161,15 |
| 71-7637-60-00 | Low Voltage track power connector | | | | | € 41,45 |
| 71-7705-00-00 | End cap for Low Voltage track | | | | | € 36,45 |
| 71-8030-60-00 | 1000mm black cap | 1000 | | | | € 35,10 |
| 71-8031-60-00 | 2000mm black cap | 2000 | | | | € 69,05 |
| 71-8032-60-00 | 3000mm black cap | 3000 | | | | € 97,25 |

48v track opbouw en pendel

| Code nummer | Code omschrijving | L | B | H | Bruto prijs |
|---------------|---|------|----|------|-------------|
| 71-7624-60-00 | Track Surfaced & Pendant 1000mm Low voltage Black | 1000 | 26 | 53,7 | € 130,65 |
| 71-7625-60-00 | Track Surfaced & Pendant 2000mm Low voltage Black | 2000 | 26 | 53,7 | € 239,90 |
| 71-7626-60-00 | Track Surfaced & Pendant 3000mm Low voltage Black | 3000 | 26 | 53,7 | € 355,45 |
| 71-7629-60-00 | "I" joint for Pendant Track | | | | € 52,05 |
| 71-7639-60-00 | I joint for Surface Track | | | | € 36,25 |
| 71-7627-60-00 | L joint for Surface / pendant Track | | | | € 262,05 |
| 71-7637-60-00 | Low Voltage track power connector | | | | € 41,45 |
| 71-7705-00-00 | End cap for Low Voltage track | | | | € 36,45 |
| 71-7676-00-00 | Suspension installation kit | | | | € 56,85 |
| 71-7520-60-00 | Black suspended ceiling rose power outlet | | | | € 29,35 |
| 71-8030-60-00 | 1000mm black cap | 1000 | | | € 35,10 |
| 71-8031-60-00 | 2000mm black cap | 2000 | | | € 69,05 |

| | | | | |
|---------------|------------------|------|---|-------|
| 71-8032-60-00 | 3000mm black cap | 3000 | € | 97,25 |
|---------------|------------------|------|---|-------|

48V Strom railspot

| Code nummer | Code omschrijving | Ø | H | Bruto prijs |
|---------------|---|----|-----|-------------|
| 35-A166-H2-OS | Spotlight Strom Low Voltage e55 24 LED warm-white 3000K CRI 92 15° ON-OFF Textured white 2272lm | 55 | 120 | € 195,50 |
| 35-A166-G7-OS | Spotlight Strom Low Voltage e55 24 LED warm-white 3000K CRI 92 15° ON-OFF Textured black 2272lm | 55 | 120 | € 195,50 |

48V Iris railspot

| Code nummer | Code omschrijving | Ø | H | Bruto prijs |
|-----------------|--|----|-----|-------------|
| AV19-P6W9U2OS60 | Iris Projector Hoop 35° Low voltage 6.3 LED warm-white 3000K CRI 90 ON-OFF Black 625lm | 55 | 130 | € 226,75 |
| AV19-P6W9U2OSL9 | Iris Projector Hoop 35° Low voltage 5.7 LED 3000K CRI 90 ON-OFF Black/Gold/Transparent 625lm | 55 | 130 | € 226,75 |
| AV19-P6W9U2OS06 | Iris Projector Hoop 35° Low voltage 5.7 LED 3000K CRI 90 ON-OFF Black/Grey/Transparent 625lm | 55 | 130 | € 226,75 |

48V Tango 2 Spot

| Code nummer | Code omschrijving | Ø | H | Bruto prijs |
|---------------|--|----|-----|-------------|
| 35-A138-14-00 | Tango 2 Spots Low voltage 2.8 LED warm-white 3000K CRI 90 ON-OFF White 297lm | 22 | 190 | € 108,30 |
| 35-A138-60-00 | Tango 2 Spots Low voltage 2.8 LED warm-white 3000K CRI 90 ON-OFF Black 297lm | 22 | 190 | € 108,30 |

48V Bento 6 en 12

| Code nummer | Code omschrijving | L | B | H | Bruto prijs |
|---------------|---|-----|----|----|-------------|
| 15-7886-14-00 | Bento 6 LEDS Low voltage 6 LED warm-white 3000K CRI 90 ON-OFF White 687lm | 99 | 22 | 42 | € 181,65 |
| 15-7886-60-00 | Bento 6 LEDS Low voltage 6 LED warm-white 3000K CRI 90 ON-OFF Black 687lm | 99 | 22 | 42 | € 181,65 |
| 15-7889-14-00 | Bento 12 LEDS Low voltage 12 LED warm-white 3000K CRI 90 ON-OFF White 1374lm | 194 | 22 | 42 | € 237,30 |
| 15-7889-60-00 | Bento 12 LEDS Low voltage 12 LED warm-white 3000K CRI 90 ON-OFF Black 1374lm | 194 | 22 | 42 | € 237,30 |
| 35-A159-14-00 | Bento 6 LEDS Adjustable Low voltage 6.3 LED warm-white 3000K CRI 90 ON-OFF White 687lm | 125 | 24 | 52 | € 210,25 |
| 35-A159-60-00 | Bento 6 LEDS Adjustable Low voltage 6.3 LED warm-white 3000K CRI 90 ON-OFF Black 687lm | 125 | 24 | 52 | € 210,25 |
| 35-A161-14-00 | Bento 12 LEDS Adjustable Low voltage 12.6 LED warm-white 3000K CRI 90 ON-OFF White 1374lm | 220 | 24 | 52 | € 278,30 |
| 35-A161-60-00 | Bento 12 LEDS Adjustable Low voltage 12.6 LED warm-white 3000K CRI 90 ON-OFF Black 1374lm | 220 | 24 | 52 | € 278,30 |
| 15-A150-14-00 | Bento 6 LEDS Wall Washer Low voltage 6 LED warm-white 3000K CRI 90 ON-OFF White 468lm | 142 | 23 | 60 | € 257,15 |
| 15-A150-60-00 | Bento 6 LEDS Wall Washer Low voltage 6 LED warm-white 3000K CRI 90 ON-OFF Black 468lm | 142 | 23 | 60 | € 257,15 |
| 15-A152-14-00 | Bento 12 LEDS Wall Washer Low voltage 12 LED warm-white 3000K CRI 90 ON-OFF White 921lm | 274 | 23 | 60 | € 314,05 |
| 15-A152-60-00 | Bento 12 LEDS Wall Washer Low voltage 12 LED warm-white 3000K CRI 90 ON-OFF Black 921lm | 274 | 23 | 60 | € 314,05 |

48V Atom railspot

| Code nummer | Code omschrijving | Ø | H | Bruto prijs |
|---------------|---|----|----|-------------|
| 35-7286-14-00 | Spotlight Atom Low Voltage e30 3.1 LED warm-white 3000K CRI 90 37.1° ON-OFF White 364lm | 30 | 48 | € 159,80 |
| 35-7286-60-00 | Spotlight Atom Low Voltage e30 3.1 LED warm-white 3000K CRI 90 37.1° ON-OFF Black 364lm | 30 | 48 | € 159,80 |
| 35-A073-14-00 | Spotlight Atom Low Voltage e52 8.2 LED warm-white 3000K CRI 90 8.2° ON-OFF White 437lm | 52 | 90 | € 167,90 |
| 35-A073-60-00 | Spotlight Atom Low Voltage e52 8.2 LED warm-white 3000K CRI 90 8.2° ON-OFF Black 437lm | 52 | 90 | € 167,90 |
| 35-A217-14-00 | Atom Low Voltage e52 Low voltage 17.3 LED warm-white 3000K CRI 90 ON-OFF White 1610lm | 52 | 90 | € 167,90 |
| 35-A217-60-00 | Atom Low Voltage e52 Low voltage 17.3 LED warm-white 3000K CRI 90 ON-OFF Black 1610lm | 52 | 90 | € 167,90 |
| 35-A064-14-00 | Atom Low Voltage e52 Zoom 16°-47° 12.6 LED warm-white 3000K CRI 90 ON-OFF White 1180lm | 52 | 90 | € 199,95 |
| 35-A064-60-00 | Atom Low Voltage e52 Zoom 16°-47° 12.6 LED warm-white 3000K CRI 90 ON-OFF Black 1180lm | 52 | 90 | € 199,95 |

Kub

| Code nummer | Code omschrijving | L | B | H | Bruto prijs |
|---------------|--|-----|-----|-----|-------------|
| 05-3220-14-14 | Wall fixture Kub LED 5.7 LED warm-white 3000K ON-OFF White 271lm | 100 | 100 | 100 | € 152,65 |
| 05-3220-34-34 | Wall fixture Kub LED 5.7 LED warm-white 3000K ON-OFF Grey 271lm | 100 | 100 | 100 | € 172,25 |
| 05-3220-60-60 | Wall fixture Kub LED 5.7 LED warm-white 3000K ON-OFF Black 271lm | 100 | 100 | 100 | € 183,00 |
| 05-3220-DL-DL | Wall fixture Kub LED 5.7 LED warm-white 3000K ON-OFF Gold 271lm | 100 | 100 | 100 | € 183,00 |

Bat Recessed Wall

| Code nummer | Code omschrijving | L | B | Ø | D | Bruto prijs |
|---------------|--|----|----|----|----|-------------|
| 05-E017-ZS-CL | Recessed wall lighting IP66 Bat Square Lineal LED 2.2 LED warm-white 3000K Urban grey 10lm | 52 | 52 | | 40 | € 91,20 |
| 05-E016-ZS-CL | Recessed wall lighting IP66 Bat Square Oval LED 2.2 LED warm-white 3000K Urban grey 77lm | 52 | 52 | | 40 | € 91,20 |
| 05-E015-ZS-CL | Recessed wall lighting IP66 Bat Round Lineal LED 2.2 LED warm-white 3000K Urban grey 10lm | | | 52 | 40 | € 91,20 |
| 05-E014-ZS-CL | Recessed wall lighting IP66 Bat Round Oval LED 2.2 LED warm-white 3000K Urban grey 77lm | | | 52 | 40 | € 91,20 |

Perlina wandarmatuur

| Code nummer | Code omschrijving | L | B | H | Ø | Bruto prijs |
|---------------|---|-----|----|-----|-----|-------------|
| 05-A076-60-60 | Wall fixture Perlina LED 8.8 SW 2700-3000-4000K ON-OFF Black 355lm | 237 | 57 | 150 | 120 | € 154,35 |
| 05-A076-DN-DN | Wall fixture Perlina LED 8.8 SW 2700-3000-4000K ON-OFF Matte gold 355lm | 237 | 57 | 150 | 120 | € 183,85 |
| 05-A077-60-60 | Wall fixture Perlina LED 8.8 SW 2700-3000-4000K DALI-2 Black 355lm | 237 | 57 | 150 | 120 | € 290,15 |

| | | | | | | | |
|---------------|--|-----|----|-----|-----|---|--------|
| 05-A077-DN-DN | Wall fixture Perlina LED 8.8 SW 2700-3000-4000K DALI-2 Matte gold 355lm | 237 | 57 | 150 | 120 | € | 319,85 |
| 05-A078-60-60 | Wall fixture Perlina USB LED 8.8 SW 2700-3000-4000K TOUCH DIMMING Black 355lm | 237 | 57 | 150 | 120 | € | 211,80 |
| 05-A078-DN-DN | Wall fixture Perlina USB LED 8.8 SW 2700-3000-4000K TOUCH DIMMING Matte gold 355lm | 237 | 57 | 150 | 120 | € | 246,10 |

Trip Wandarmatuur

| Code nummer | Code omschrijving | L | B | H | Ø | | Bruto prijs |
|---------------|--|-----|------|-----|-------------|---|-------------|
| 05-8356-05-05 | Wall fixture Trip ø300mm E14 9 Black | | | 145 | 300 | € | 199,05 |
| 05-8356-05-DN | Wall fixture Trip ø300mm E14 9 Matte gold | | | 145 | 300 | € | 229,10 |
| 05-8357-05-05 | Wall fixture Trip ø460mm E14 9 Black | | | 145 | 460 | € | 260,45 |
| 05-8357-05-DN | Wall fixture Trip ø460mm E14 9 Matte gold | | | 145 | 460 | € | 305,95 |
| 05-8359-05-05 | Wall fixture Trip Double ø460mm / ø300mm E14 18 Black | 535 | 660 | 165 | 460+300 | € | 459,30 |
| 05-8359-05-DN | Wall fixture Trip Double ø460mm / ø300mm E14 18 Matte gold | 535 | 660 | 165 | 460+300 | € | 469,45 |
| 05-8359-05-DP | Wall fixture Trip Double ø460mm / ø300mm E14 18 Black/Matt gold | 535 | 660 | 165 | 460+300 | € | 469,45 |
| 05-8360-05-05 | Wall fixture Trip Double ø460mm / ø460mm E14 18 Black | 650 | 740 | 165 | 460+460 | € | 517,80 |
| 05-8360-05-DN | Wall fixture Trip Double ø460mm / ø460mm E14 18 Matte gold | 650 | 740 | 165 | 460+460 | € | 555,10 |
| 05-8360-05-DP | Wall fixture Trip Double ø460mm / ø460mm E14 18 Black/Matt gold | 650 | 740 | 165 | 460+460 | € | 555,10 |
| 05-8361-05-05 | Wall fixture Trip Double ø300mm / ø300mm E14 18 Black | 420 | 520 | 165 | 300+300 | € | 396,35 |
| 05-8361-05-DN | Wall fixture Trip Double ø300mm / ø300mm E14 18 Matte gold | 420 | 520 | 165 | 300+300 | € | 456,60 |
| 05-8361-05-DP | Wall fixture Trip Double ø300mm / ø300mm E14 18 Black/Matt gold | 420 | 520 | 165 | 300+300 | € | 456,60 |
| 05-8362-05-05 | Wall fixture Trip Triple ø460mm / ø460mm / ø460mm E14 27 Black | 650 | 1020 | 165 | 460+460+460 | € | 775,10 |
| 05-8362-05-DN | Wall fixture Trip Triple ø460mm / ø460mm / ø460mm E14 27 Matte gold | 650 | 1020 | 165 | 460+460+460 | € | 911,05 |
| 05-8362-05-DP | Wall fixture Trip Triple ø460mm / ø460mm / ø460mm E14 27 Black/Matt gold | 650 | 1020 | 165 | 460+460+460 | € | 865,60 |
| 05-8363-05-05 | Wall fixture Trip triple ø300mm / ø460mm / ø300mm E14 27 Black | 535 | 860 | 165 | 300+460+300 | € | 653,70 |
| 05-8363-05-DN | Wall fixture Trip triple ø300mm / ø460mm / ø300mm E14 27 Matte gold | 535 | 860 | 165 | 300+460+300 | € | 751,45 |
| 05-8363-05-DP | Wall fixture Trip triple ø300mm / ø460mm / ø300mm E14 27 Black/Matt gold | 535 | 860 | 165 | 300+460+300 | € | 729,20 |

Trip Glas Wandarmatuur

| Code nummer | Code omschrijving | Ø | D | | Bruto prijs |
|---------------|---|-----|-----|---|-------------|
| 05-8358-05-12 | Wall fixture Trip Glass E14 9 Fumé 207lm | 260 | 150 | € | 230,25 |
| 05-8358-05-15 | Wall fixture Trip Glass E14 9 Amber 207lm | 260 | 150 | € | 230,25 |

Prolix up down Wandarmatuur

| Code nummer | Code omschrijving | L | B | D | Ø | | Bruto prijs |
|---------------|--|-----|----|----|----|---|-------------|
| 05-8513-05-05 | Wall fixture Prolix LED 18.8 LED warm-white 2700K PHASE CUT Black 325lm | 240 | 56 | 90 | 38 | € | 226,00 |
| 05-8513-DN-DN | Wall fixture Prolix LED 18.8 LED warm-white 2700K PHASE CUT Matte gold 325lm | 240 | 56 | 90 | 38 | € | 249,70 |

Sequal IP65 Ballproof armatuur

| Code nummer | Code omschrijving | L | B | H | | Bruto prijs |
|-------------|---|------|----|----|---|-------------|
| 13922479001 | Sequal 2MB 60° 10000 lm 67 W 840 FO IP65 white | 770 | 74 | 58 | € | 315,60 |
| 13922489001 | Sequal 4MB 60° 18800 lm 130 W 840 FO IP65 white | 1240 | 74 | 58 | € | 487,18 |
| 13922459001 | Sequal 2+2MB 60° 20100 lm 141 W 840 FO IP65 white | 530 | 74 | 58 | € | 659,22 |
| 13922469001 | Sequal 3+3MB 60° 30100 lm 213 W 840 FO IP65 white | 930 | 74 | 58 | € | 864,35 |

Arrago WL IP65 Ballproof opbouw

| Code nummer | Code omschrijving | L | B | H | | Bruto prijs |
|-------------------------|---|------|-----|----|---|-------------|
| SPORT.NPP.61.7900.124 | SPORT WL LED NARROW PRISMA PC 61W 7900lm 4000K FO | 1224 | 197 | 90 | € | 499,00 |
| SPORT.NPP.92.11400.124 | SPORT WL LED NARROW PRISMA PC 92W 11400lm 4000K FO | 1224 | 197 | 90 | € | 592,00 |
| SPORT.NPP.118.15600.124 | SPORT WL LED NARROW PRISMA PC 118W 15600lm 4000K FO | 1224 | 357 | 90 | € | 849,00 |
| SPORT.NPP.182.22700.124 | SPORT WL LED NARROW PRISMA PC 182W 22700lm 4000K FO | 1224 | 357 | 90 | € | 863,00 |
| Opbouw Sets | | | | | | |
| SPORT.CMONT197 | SPORT WL CEILING MOUNTING SET for 197mm | | | | € | 14,00 |
| SPORT.CMONT357 | SPORT WL CEILING MOUNTING SET for 357mm | | | | € | 23,31 |
| Inbouwframes | | | | | | |
| SPORT.RMONT197 | SPORT WL RECESSED INSTALLATION FRAME for 197mm | 1240 | 310 | | € | 119,00 |
| SPORT.RMONT357 | SPORT WL RECESSED INSTALLATION FRAME for 357mm | 1240 | 470 | | € | 158,00 |

Cube LED Straler

| Code nummer | Code omschrijving | L | B | H | | Bruto prijs |
|-----------------|--|-----|-----|-----|---|-------------|
| AN12-12V8S2OUZ5 | Cube 4 LED 13.2W 1405lm 16° warm-white 2700K ON-OFF Urban grey IP66 IK07 | 110 | 110 | 147 | € | 356,50 |
| AN12-12V8S2OUZ5 | Cube 4 LED 13.2W 1448lm 16° warm-white 3000K ON-OFF Urban grey IP66 IK07 | 110 | 110 | 147 | € | 356,50 |
| AN12-12V8M3OUZ5 | Cube 4 LED 13.2W 1648lm 35° warm-white 2700K ON-OFF Urban grey IP66 IK07 | 110 | 110 | 147 | € | 356,50 |
| AN12-12V8M3OUZ5 | Cube 4 LED 13.2W 1699lm 35° warm-white 3000K ON-OFF Urban grey IP66 IK07 | 110 | 110 | 147 | € | 356,50 |

| | | | | | |
|-----------------|--|-----|-----|-----|----------|
| AN13-24V8S2DUZ5 | Cube 9 LED 27W 1939lm 16° warm-white 2700K DALI-2 Urban grey IP66 IK09 | 150 | 150 | 202 | € 655,70 |
| AN13-24W8S2DUZ5 | Cube 9 LED 27W 1998lm 16° warm-white 3000K DALI-2 Urban grey IP66 IK09 | 150 | 150 | 202 | € 655,70 |
| AN13-24V8M3DUZ5 | Cube 9 LED 27W 2274lm 32° warm-white 2700K DALI-2 Urban grey IP66 IK09 | 150 | 150 | 202 | € 655,70 |
| AN13-24W8M3DUZ5 | Cube 9 LED 27W 2274lm 32° warm-white 3000K DALI-2 Urban grey IP66 IK09 | 150 | 150 | 202 | € 655,70 |

Max LED Straler

| Code nummer | Code omschrijving | Ø | H | Bruto prijs |
|-----------------|--|----|----|-------------|
| BA18-P3V8S3BBZ5 | Max Mini 24VDC LED 2.5W 94lm 19° warm-white 2700K Urban grey IP66 IK04 + 1mtr cable | 30 | 60 | € 119,20 |
| BA18-P3W8S3BBZ5 | Max Mini 24VDC LED 2.5W 94lm 19° warm-white 3000K Urban grey IP66 IK04 + 1mtr cable | 30 | 60 | € 119,20 |
| BA18-P3V8M3BBZ5 | Max Mini 24VDC LED 2.5W 97lm 32° warm-white 2700K Urban grey IP66 IK04 + 1mtr cable | 30 | 60 | € 119,20 |
| BA18-P3W8M3BBZ5 | Max Mini 24VDC LED 2.5W 97lm 32° warm-white 3000K Urban grey IP66 IK04 + 1mtr cable | 30 | 60 | € 119,20 |
| AI18-P8V8S2BBZ5 | Max Medium 24VDC LED 7.9W 519lm 17° warm-white 2700K Urban grey IP66 IK10 + 1mtr cable | 58 | 92 | € 183,35 |
| AI18-P8W8S2BBZ5 | Max Medium 24VDC LED 7.9W 519lm 17° warm-white 3000K Urban grey IP66 IK10 + 1mtr cable | 58 | 92 | € 183,35 |
| AI18-P8V9M2BBZ5 | Max Medium 24VDC LED 7.9W 459lm 27° warm-white 2700K Urban grey IP66 IK10 + 1mtr cable | 58 | 92 | € 183,35 |
| AI18-P8W9M2BBZ5 | Max Medium 24VDC LED 7.9W 459lm 27° warm-white 3000K Urban grey IP66 IK10 + 1mtr cable | 58 | 92 | € 183,35 |

Hubble LED Straler

| Code nummer | Code omschrijving | Ø | H | Bruto prijs |
|---------------------|--|-----|-----|-------------|
| 05-E101-Z5-CK | Hubble Cob 35.2W 3589lm 16°/39° 2700K ON-OFF Urban grey IP65 IK08 + visor & antilglare glass | 175 | 368 | € 449,60 |
| 05-E101-Z5-CL | Hubble Cob 35.2W 3589lm 16°/39° 3000K ON-OFF Urban grey IP65 IK08 + visor & antilglare glass | 175 | 368 | € 449,60 |
| 05-E166-Z5-CK | Hubble Cob 56.4W 5266lm 15°/38° 2700K DALI-2 Urban grey IP65 IK08 + visor & antilglare glass | 205 | 405 | € 674,60 |
| 05-E166-Z5-CL | Hubble Cob 56.4W 5631lm 15°/38° 3000K DALI-2 Urban grey IP65 IK08 + visor & antilglare glass | 205 | 405 | € 674,60 |
| 05-E083-Z5-CK | Hubble Cob 96.8W 9931lm 20°/44° 2700K DALI-2 Urban grey IP66 IK09 + visor | 234 | 490 | € 983,90 |
| 05-E083-Z5-CL | Hubble Cob 96.8W 10552lm 20°/44° 3000K DALI-2 Urban grey IP66 IK09 + visor | 234 | 490 | € 983,90 |
| Accessoires: | | | | |
| 71-E016-Z5-Z5 | Surface mounting Base for cables of Ø6mm to Ø13.5mm (excl. Cable) | 148 | 62 | € 64,50 |
| 71-9997-05-05 | Spies 235mm voor plaatsen armaturen in gras / grond | | | € 19,90 |

Max Micro Spotlight

| Code nummer | Code omschrijving | Ø | H | Bruto prijs |
|---------------------|--|----|-----|-------------|
| 05-9881-Z5-CL | Micro ø57mm SPOTLIGHT 4.7W 343lm 3000K CRI80 15°/24° ON-OFF IP66 IK04 Urban grey | 57 | 194 | € 148,10 |
| 05-9881-J6-CL | Micro ø57mm SPOTLIGHT 4.7W 343lm 3000K CRI80 15°/24° ON-OFF IP66 IK04 Brown | 57 | 194 | € 148,10 |
| 05-9888-Z5-CL | Micro ø70mm SPOTLIGHT 7.5W 642lm 3000K CRI80 15°/38° ON-OFF IP66 IK04 Urban grey | 70 | 248 | € 230,45 |
| 05-9888-J6-CL | Micro ø70mm SPOTLIGHT 7.5W 642lm 3000K CRI80 15°/38° ON-OFF IP66 IK04 Brown | 70 | 248 | € 230,45 |
| Accessoires: | | | | |
| 71-E438-05-05 | Waterproof Extender Cable 1mtr Black + 2 quick connectors | | | € 16,20 |
| 71-E428-05-05 | Waterproof Extender Cable 5mtr Black + 2 quick connectors | | | € 39,95 |
| 71-E513-00-00 | Waterproof T-connector IP68 3 inputs - 3 poles Ø5.5-11.5mm | | | € 25,40 |
| 71-E052-Z5-Z5 | Extension 300+500+800mm for wall, floor and grass Urban grey | | | € 80,30 |
| 71-E052-J6-J6 | Extension 300+500+800mm for wall, floor and grass Brown | | | € 80,30 |

Max Ceiling Surface

| Code nummer | Code omschrijving | Ø | H | Bruto prijs |
|-----------------|---|----|-----|-------------|
| AI22-P6V9S2OSZ5 | Max Medium surface 6.5W 456lm 2700K CRI90 17° ON-OFF IP66 IK10 Urban grey | 58 | 160 | € 255,20 |
| AI22-P6W9M2OSZ5 | Max Medium surface 6.5W 403lm 2700K CRI90 27° ON-OFF IP66 IK10 Urban grey | 58 | 160 | € 255,20 |
| AI22-P6V9F1OSZ5 | Max Medium surface 6.5W 372lm 2700K CRI90 50° ON-OFF IP66 IK10 Urban grey | 58 | 160 | € 255,20 |
| AI22-P6W9S2OSZ5 | Max Medium surface 6.5W 456lm 3000K CRI90 17° ON-OFF IP66 IK10 Urban grey | 58 | 160 | € 255,20 |
| AI22-P6W9M2OSZ5 | Max Medium surface 6.5W 403lm 3000K CRI90 27° ON-OFF IP66 IK10 Urban grey | 58 | 160 | € 255,20 |
| AI22-P6W9F1OSZ5 | Max Medium surface 6.5W 372lm 3000K CRI90 50° ON-OFF IP66 IK10 Urban grey | 58 | 160 | € 255,20 |
| AT22-18V9S3OSZ5 | Max Big surface 19.7W 1985lm 2700K CRI90 21° ON-OFF IP66 IK10 Urban grey | 83 | 230 | Op aanvraag |
| AT22-18W9M3OSZ5 | Max Big surface 19.7W 1985lm 2700K CRI90 31° ON-OFF IP66 IK10 Urban grey | 83 | 230 | Op aanvraag |
| AT22-18V9F1OSZ5 | Max Big surface 19.7W 1985lm 2700K CRI90 40° ON-OFF IP66 IK10 Urban grey | 83 | 230 | Op aanvraag |
| AT22-18W9S3OSZ5 | Max Big surface 19.7W 1985lm 3000K CRI90 21° ON-OFF IP66 IK10 Urban grey | 83 | 230 | Op aanvraag |
| AT22-18W9M3OSZ5 | Max Big surface 19.7W 1985lm 3000K CRI90 31° ON-OFF IP66 IK10 Urban grey | 83 | 230 | Op aanvraag |
| AT22-18W9F1OSZ5 | Max Big surface 19.7W 1985lm 3000K CRI90 40° ON-OFF IP66 IK10 Urban grey | 83 | 230 | Op aanvraag |

Dako Recessed Inbouwspot

| Code nummer | Code omschrijving | Ø | zaagmaat | H | Bruto prijs |
|---------------|--|-----|----------|-----|-------------|
| 15-E035-14-CL | Dako Fixed ø80mm 7.5W 502lm 3000K CRI80 29°/40° ON-OFF IP66 IK06 White | 80 | 68 | 55 | € 105,15 |
| 15-E035-60-CL | Dako Fixed ø80mm 7.5W 502lm 3000K CRI80 29°/40° ON-OFF IP66 IK06 Black | 80 | 68 | 55 | Op aanvraag |
| 15-E036-14-CL | Dako Fixed ø175mm 20W 2004lm 3000K CRI80 24°/31° ON-OFF IP66 IK07 White | 175 | 155 | 110 | € 187,00 |
| 15-E036-60-CL | Dako Fixed ø175mm 20W 2004lm 3000K CRI80 24°/31° ON-OFF IP66 IK07 Black | 175 | 155 | 110 | Op aanvraag |
| 15-E104-14-CL | Dako Adjustable ø100mm 7.5W 502lm 3000K CRI80 29°/40° ON-OFF IP66 IK06 White | 100 | 80 | 56 | € 154,10 |
| 15-E104-60-CL | Dako Adjustable ø100mm 7.5W 502lm 3000K CRI80 29°/40° ON-OFF IP66 IK06 Black | 100 | 80 | 56 | Op aanvraag |

| | | | | | | |
|---------------|--|-----|-----|-----|-------------|--------|
| 15-E105-14-CL | Dako Adjustable ø200mm 20W 2004lm 3000K CRI80 24°/31° ON-OFF IP66 IK07 White | 200 | 180 | 110 | € | 220,50 |
| 15-E105-60-CL | Dako Adjustable ø200mm 20W 2004lm 3000K CRI80 24°/31° ON-OFF IP66 IK07 Black | 200 | 180 | 110 | op aanvraag | |

EKO In- opbouw downlight outdoor

| Code nummer | Code omschrijving | Ø | zaagmaat | H | | Bruto prijs |
|---------------|---|----|----------|-----|---|-------------|
| 15-E068-60-CL | EKO downlight recessed 6.1W 369lm 3000K CRI80 24° IP66 IK07 PHASE CUT Black | 75 | 65 | 93 | € | 83,55 |
| 15-E065-60-37 | EKO downlight recessed GU10 max 8W IP66 IK07 Black | 75 | 65 | 105 | € | 68,40 |
| 15-E067-60-CL | EKO downlight surface 6.1W 369lm 3000K CRI80 24° IP66 IK07 PHASE CUT Black | 60 | 60 | 110 | € | 83,55 |
| 15-E064-60-37 | EKO downlight surface GU10 max 8W IP66 IK07 Black | 60 | 60 | 135 | € | 68,40 |

Cosmos Surface and Wall

| Code nummer | Code omschrijving | Ø | H | | Bruto prijs |
|---------------|--|-----|-----|---|-------------|
| 05-9952-Z5-CK | Cosmos ø85mm wall direct 12.7W 972lm 2700K CRI80 17°/31° IP66 IK06 ON-OFF Urban grey | 85 | 140 | € | 208,05 |
| 05-9952-Z5-CL | Cosmos ø85mm wall direct 12.7W 972lm 3000K CRI80 17°/31° IP66 IK06 ON-OFF Urban grey | 85 | 140 | € | 208,05 |
| 05-9954-Z5-CK | Cosmos ø110mm wall direct 25.4W 1696lm 2700K CRI80 16°/33° IP66 IK06 ON-OFF Urban grey | 110 | 178 | € | 280,70 |
| 05-9954-Z5-CL | Cosmos ø110mm wall direct 25.4W 1696lm 3000K CRI80 16°/33° IP66 IK06 ON-OFF Urban grey | 110 | 178 | € | 280,70 |
| 05-E150-Z5-CK | Cosmos ø144mm wall direct 36W 2890lm 2700K CRI80 16°/33° IP66 IK06 ON-OFF Urban grey | 144 | 231 | € | 448,75 |
| 05-E150-Z5-CL | Cosmos ø144mm wall direct 36W 2890lm 3000K CRI80 16°/33° IP66 IK06 ON-OFF Urban grey | 144 | 231 | € | 448,75 |
| 05-9953-Z5-CK | Cosmos ø85mm wall D/I 11.8W 1115lm 2700K CRI80 17°/31° IP66 IK06 ON-OFF Urban grey | 85 | 172 | € | 218,45 |
| 05-9953-Z5-CL | Cosmos ø85mm wall D/I 11.8W 1115lm 3000K CRI80 17°/31° IP66 IK06 ON-OFF Urban grey | 85 | 172 | € | 218,45 |
| 05-9955-Z5-CK | Cosmos ø110mm wall D/I 24.5W 1939lm 2700K CRI80 16°/33° IP66 IK06 ON-OFF Urban grey | 110 | 211 | € | 339,15 |
| 05-9955-Z5-CL | Cosmos ø110mm wall D/I 24.5W 1939lm 3000K CRI80 16°/33° IP66 IK06 ON-OFF Urban grey | 110 | 211 | € | 339,15 |
| 05-E151-Z5-CK | Cosmos ø144mm wall D/I 35W 3434lm 2700K CRI80 16°/33° IP66 IK06 ON-OFF Urban grey | 144 | 281 | € | 481,70 |
| 05-E151-Z5-CL | Cosmos ø144mm wall D/I 35W 3434lm 3000K CRI80 16°/33° IP66 IK06 ON-OFF Urban grey | 144 | 281 | € | 481,70 |

Max Ceiling Recessed

| Code nummer | Code omschrijving | Ø | Zaagmaat | D | | Bruto prijs |
|-----------------|--|-----|----------|-----|---|-------------|
| A116-P8V9M2BZ5 | MAX Medium deep 7.9W 459lm 2700K CRI92 27° 24VDC IP66 IK10 urban grey + 1mtr cable | 100 | 85 | 80 | € | 229,95 |
| A116-P8V9F1BBZ5 | MAX Medium deep 7.9W 423lm 2700K CRI92 50° 24VDC IP66 IK10 urban grey + 1mtr cable | 100 | 85 | 80 | € | 229,95 |
| A116-P8W9S2BZ5 | MAX Medium deep 7.9W 519lm 3000K CRI92 17° 24VDC IP66 IK10 urban grey + 1mtr cable | 100 | 85 | 80 | € | 229,95 |
| A116-P8W9M2BZ5 | MAX Medium deep 7.9W 459lm 3000K CRI92 27° 24VDC IP66 IK10 urban grey + 1mtr cable | 100 | 85 | 80 | € | 229,95 |
| A116-P8W9F1BBZ5 | MAX Medium deep 7.9W 423lm 3000K CRI92 50° 24VDC IP66 IK10 urban grey + 1mtr cable | 100 | 85 | 80 | € | 229,95 |
| AT16-14V9S3BZ5 | MAX Big deep 13.8W 1086lm 2700K CRI92 16° 24VDC IP66 IK10 urban grey + 1mtr cable | 140 | 125 | 113 | € | 372,90 |
| AT16-14V9M2BZ5 | MAX Big deep 13.8W 1076lm 2700K CRI92 28° 24VDC IP66 IK10 urban grey + 1mtr cable | 140 | 125 | 113 | € | 372,90 |
| AT16-14V9F2BZ5 | MAX Big deep 13.8W 1120lm 2700K CRI92 51° 24VDC IP66 IK10 urban grey + 1mtr cable | 140 | 125 | 113 | € | 372,90 |
| AT16-14W9S3BZ5 | MAX Big deep 13.8W 1086lm 3000K CRI92 16° 24VDC IP66 IK10 urban grey + 1mtr cable | 140 | 125 | 113 | € | 372,90 |
| AT16-14W9M2BZ5 | MAX Big deep 13.8W 1076lm 3000K CRI92 28° 24VDC IP66 IK10 urban grey + 1mtr cable | 140 | 125 | 113 | € | 372,90 |
| AT16-14W9F2BZ5 | MAX Big deep 13.8W 1120lm 3000K CRI92 51° 24VDC IP66 IK10 urban grey + 1mtr cable | 140 | 125 | 113 | € | 372,90 |

Afrodita Wandarmatuur

| Code nummer | Code omschrijving | L | B | H | | Bruto prijs |
|---------------|--|-----|-----|-----|-------------|-------------|
| 05-9912-Z5-CL | Afrodita 220mm direct 12.7W 913lm 3000K CRI80 90° IP65 IK04 ON-OFF Urban grey | 220 | 120 | 90 | op aanvraag | |
| 05-E092-Z5-CL | Afrodita 300mm direct 21.5W 1984lm 3000K CRI80 88° IP65 IK04 ON-OFF Urban grey | 300 | 170 | 120 | op aanvraag | |
| 05-9911-Z5-CL | Afrodita 220mm D/I 17.9W 1484lm 3000K CRI80 88° IP65 IK04 ON-OFF Urban grey | 220 | 120 | 90 | op aanvraag | |
| 05-E070-Z5-CL | Afrodita 300mm D/I 40.7W 3834lm 3000K CRI80 88° IP65 IK04 ON-OFF Urban grey | 300 | 170 | 120 | op aanvraag | |
| 05-E056-Z5-CL | Afrodita power LED direct 13W 1136lm 3000K CRI80 26° IP65 IK04 ON/OFF Urban grey | 100 | 100 | 135 | € | 247,90 |
| 05-9773-Z5-CL | Afrodita power LED D/I 21.6W 1324lm 3000K CRI80 22° IP65 IK04 ON/OFF Urban grey | 100 | 100 | 150 | op aanvraag | |
| 05-E054-Z5-37 | Afrodita Wall direct GU10 max 8W IP65 IK10 Urban grey | 83 | 91 | 115 | € | 67,90 |
| 05-9919-Z5-37 | Afrodita Wall D/I 2x GU10 max 8W IP65 IK06 Urban grey | 83 | 91 | 208 | € | 82,65 |

Modis Wandstraler Single en Dou

| Code nummer | Code omschrijving | L | B | H | | Bruto prijs |
|-----------------|--|-----|-----|----|---|-------------|
| 05-E062-Z5-OU | Modis Opal Single 13.2W 744lm 2700-3200-4000K CRI80 IP66 IK10 ON-OFF Urban grey | 140 | 140 | 82 | € | 236,35 |
| AS11-18W9M3OUZ5 | Modis Optics Single 20W 1680lm 3000K CRI90 16° IP66 IK10 ON-OFF Urban grey | 140 | 140 | 82 | € | 391,25 |
| AS11-18W9M3OUZ5 | Modis Optics Single 20W 1680lm 3000K CRI90 38° IP66 IK10 ON-OFF Urban grey | 140 | 140 | 82 | € | 391,25 |
| AS11-18W9F1OUZ5 | Modis Optics Single 20W 1680lm 3000K CRI90 48° IP66 IK10 ON-OFF Urban grey | 140 | 140 | 82 | € | 391,25 |
| 05-E063-Z5-OU | Modis Opal Double 26.4W 1488lm 2700-3200-4000K CRI80 IP66 IK10 ON-OFF Urban grey | 428 | 140 | 82 | € | 598,90 |
| AS12-37W9S3OUZ5 | Modis Optics Double 430mm 40.2W 3360lm 3000K CRI90 16° IP66 IK10 ON-OFF Urban grey | 428 | 140 | 82 | € | 937,25 |
| AS12-37W9M3OUZ5 | Modis Optics Double 430mm 40.2W 3360lm 3000K CRI90 38° IP66 IK10 ON-OFF Urban grey | 428 | 140 | 82 | € | 937,25 |
| AS12-37W9F1OUZ5 | Modis Optics Double 430mm 40.2W 3360lm 3000K CRI90 48° IP66 IK10 ON-OFF Urban grey | 428 | 140 | 82 | € | 937,25 |

WL Luca Wandarmatuur CCT

| Code nummer | Code omschrijving | L | B | H | | Bruto prijs |
|------------------|--|-----|----|----|---|-------------|
| WL.LUCCA.6.550.1 | WL LUCCA wall Oval D/I 6W 2x275lm CCT 3000-4000-5700K On/Off IP65 IK08 white | 135 | 35 | 90 | € | 73,00 |

| | | | | | | |
|------------------|---|-----|----|----|---|-------|
| WL_LUCCA.6.550.2 | WL LUCCA wall Oval D/I 6W 2x275m CCT 3000-4000-5700K On/OFF IP65 IK08 black | 135 | 35 | 90 | € | 73,00 |
|------------------|---|-----|----|----|---|-------|

WL Pescara Wandarmatuur

| Code nummer | Code omschrijving | L | B | H | | Bruto prijs |
|---------------------|--|-----|-----|----|---|-------------|
| WL_PESCARA.10.650.1 | WL_PESCARA Square wall D/I 2x5W 2x325m 2700K CR80 beam 15°-120° On/Off IP65 IK06 White | 120 | 100 | 96 | € | 79,00 |
| WL_PESCARA.10.650.2 | WL_PESCARA Square wall D/I 2x5W 2x325m 2700K CR80 beam 15°-120° On/Off IP65 IK06 Black | 120 | 100 | 96 | € | 79,00 |

Wilson Wandarmatuur

| Code nummer | Code omschrijving | L | B | H | | Bruto prijs |
|---------------|---|-----|-----|----|---|-------------|
| 05-9683-Z5-CK | Wilson Wall D/I 10.2W 623m 2700K CR80 ON-OFF IP65 IK08 Urban grey | 110 | 130 | 90 | € | 162,75 |
| 05-9683-14-CK | Wilson Wall D/I 10.2W 623m 2700K CR80 ON-OFF IP65 IK08 White | 110 | 130 | 90 | € | 162,75 |
| 05-9683-Z5-CL | Wilson Wall D/I 10.2W 623m 3000K CR80 ON-OFF IP65 IK08 Urban grey | 110 | 130 | 90 | € | 162,75 |
| 05-9683-14-CL | Wilson Wall D/I 10.2W 623m 3000K CR80 ON-OFF IP65 IK08 White | 110 | 130 | 90 | € | 162,75 |

metro

| Code nummer | Code omschrijving | Ø | inbouwmaat | H | | Bruto prijs |
|----------------|---|-----|------------|-----|---|-------------|
| 36.010152-0000 | METRO-S D120 2700K 10° 5W 403m COB + DRIVER ON/OFF INCL. WATERSTOP IP67 | 120 | 116 | 126 | € | 227,20 |
| 36.010252-0000 | METRO-S D120 2700K 36° 5W 403m COB + DRIVER ON/OFF INCL. WATERSTOP IP67 | 120 | 116 | 126 | € | 227,20 |
| 36.010153-0000 | METRO-S D120 3000K 10° 5W 403m COB + DRIVER ON/OFF INCL. WATERSTOP IP67 | 120 | 116 | 126 | € | 227,20 |
| 36.010253-0000 | METRO-S D120 3000K 36° 5W 403m COB + DRIVER ON/OFF INCL. WATERSTOP IP67 | 120 | 116 | 126 | € | 227,20 |
| 36.010192-0000 | METRO-S D120 2700K 10° 9W 890m COB + DRIVER ON/OFF INCL. WATERSTOP IP67 | 120 | 116 | 126 | € | 222,90 |
| 36.010292-0000 | METRO-S D120 2700K 36° 9W 890m COB + DRIVER ON/OFF INCL. WATERSTOP IP67 | 120 | 116 | 126 | € | 222,90 |
| 36.010193-0000 | METRO-S D120 3000K 10° 9W 890m COB + DRIVER ON/OFF INCL. WATERSTOP IP67 | 120 | 116 | 126 | € | 222,90 |
| 36.010293-0000 | METRO-S D120 3000K 36° 9W 890m COB + DRIVER ON/OFF INCL. WATERSTOP IP67 | 120 | 116 | 126 | € | 222,90 |

Max Grond inbouwarmaturen

| Code nummer | Code omschrijving | Ø | zaagmaat | H | | Bruto prijs |
|------------------|---|-----|----------|----|---|-------------|
| A112-P8V9S2BBCCA | MAX Medium trim 7,9W 519m 2700K CRI92 17° 24VDC IP67 IK10 inox + 1mtr cable | 75 | 60 | 55 | € | 246,30 |
| A112-P8V9M2BBCCA | MAX Medium trim 7,9W 459m 2700K CRI92 27° 24VDC IP67 IK10 inox + 1mtr cable | 75 | 60 | 55 | € | 246,30 |
| A112-P8V9F1BBCCA | MAX Medium trim 7,9W 423m 2700K CRI92 50° 24VDC IP67 IK10 inox + 1mtr cable | 75 | 60 | 55 | € | 246,30 |
| A112-P8W9S2BBCCA | MAX Medium trim 7,9W 519m 3000K CRI92 17° 24VDC IP67 IK10 inox + 1mtr cable | 75 | 60 | 55 | € | 246,30 |
| A112-P8W9M2BBCCA | MAX Medium trim 7,9W 459m 3000K CRI92 27° 24VDC IP67 IK10 inox + 1mtr cable | 75 | 60 | 55 | € | 246,30 |
| A112-P8W9F1BBCCA | MAX Medium trim 7,9W 423m 3000K CRI92 50° 24VDC IP67 IK10 inox + 1mtr cable | 75 | 60 | 55 | € | 246,30 |
| AT12-14V9S3BBCCA | MAX Big trim 13,8W 1086m 2700K CRI92 16° 24VDC IP67 IK10 inox + 1mtr cable | 110 | 85 | 78 | € | 387,50 |
| AT12-14V9M2BBCCA | MAX Big trim 13,8W 1076m 2700K CRI92 28° 24VDC IP67 IK10 inox + 1mtr cable | 110 | 85 | 78 | € | 387,50 |
| AT12-14V9F2BBCCA | MAX Big trim 13,8W 1120m 2700K CRI92 51° 24VDC IP67 IK10 inox + 1mtr cable | 110 | 85 | 78 | € | 387,50 |
| AT12-14W9S3BBCCA | MAX Big trim 13,8W 1086m 3000K CRI92 16° 24VDC IP67 IK10 inox + 1mtr cable | 110 | 85 | 78 | € | 387,50 |
| AT12-14W9M2BBCCA | MAX Big trim 13,8W 1076m 3000K CRI92 28° 24VDC IP67 IK10 inox + 1mtr cable | 110 | 85 | 78 | € | 387,50 |
| AT12-14W9F2BBCCA | MAX Big trim 13,8W 1120m 3000K CRI92 51° 24VDC IP67 IK10 inox + 1mtr cable | 110 | 85 | 78 | € | 387,50 |

Gea Grond inbouwarmaturen

| Code nummer | Code omschrijving | Ø | Kolom1 | H | | Bruto prijs |
|---------------|---|-----|--------|-----|-------------|-------------|
| 55-9906-CA-CK | GEA COB 125mm 10,5W 869m 2700K CR180 17°/53° on/off IP67 inox + 1mtr cable | 125 | 115 | 133 | op aanvraag | |
| 55-9906-CA-CL | GEA COB 125mm 10,5W 869m 3000K CR180 17°/53° on/off IP67 inox + 1mtr cable | 125 | 115 | 133 | op aanvraag | |
| 55-9907-CA-CK | GEA COB 185mm 17,6W 1630m 2700K CR180 21°/54° on/off IP67 inox + 1mtr cable | 185 | 170 | 156 | op aanvraag | |
| 55-9907-CA-CL | GEA COB 185mm 17,6W 1630m 3000K CR180 21°/54° on/off IP67 inox + 1mtr cable | 185 | 170 | 156 | € | 400,65 |
| 55-9909-CA-CK | GEA COB 223mm 26,7W 2262m 2700K CR180 18°/53° on/off IP67 inox + 1mtr cable | 223 | 208 | 177 | op aanvraag | |
| 55-9909-CA-CL | GEA COB 223mm 26,7W 2262m 2700K CR180 18°/53° on/off IP67 inox + 1mtr cable | 223 | 208 | 177 | op aanvraag | |
| 55-9972-CA-CK | GEA COB 300mm 35W 3681m 2700K CR180 18°/51° on/off IP67 inox + 1mtr cable | 300 | 286 | 177 | op aanvraag | |
| 55-9972-CA-CL | GEA COB 300mm 35W 3681m 3000K CR180 18°/51° on/off IP67 inox + 1mtr cable | 300 | 286 | 177 | € | 573,95 |

Drivers

| Code nummer | Code omschrijving | L | B | H | gatmaat | Bruto prijs |
|-------------|--|-----|----|----|---------|-------------|
| Aanluit | | | | | | |
| 127303 | DRIVER DC10 10W 350mA FO (max 30V) | 127 | 38 | 22 | 40 | € 24,15 |
| 122201 | DRIVER U20 MP 20W 250-700mA FO (350mA = 2-54V) - (700mA = 2-29V) | 111 | 52 | 22 | 55 | € 29,80 |
| 122201GST | DRIVER U20 MP 20W 250-700mA FO (350mA = 2-54V) - (700mA = 2-29V) P&P + GST | 111 | 52 | 22 | 55 | € 42,80 |
| 127570 | DRIVER PF22 22W 125-500mA FO (10-44V) | 147 | 44 | 22 | 50 | € 18,07 |
| 127570GST | DRIVER PF22 22W 125-500mA FO (10-44V) P&P + GST | 147 | 44 | 22 | 50 | € 31,07 |
| 122200 | DRIVER MP32 32W 350-900mA FO (350mA = 2-47V) - (900mA = 2-22V) | 103 | 67 | 21 | 72 | € 37,95 |
| 122200GST | DRIVER MP32 32W 350-900mA FO (350mA = 2-47V) - (900mA = 2-22V) P&P + GST | 103 | 67 | 21 | 72 | € 50,95 |
| 127484 | DRIVER P42 - 300-1050mA 42W 59V FO (3-40V) | 147 | 44 | 30 | 54 | € 24,60 |
| 127484GST | DRIVER P42 - 300-1050mA 42W 59V FO (3-40V) P&P + GST | 147 | 44 | 30 | 54 | € 37,60 |
| 122204 | DRIVER MP50 50W 350-1050mA FO (350mA = 2-74V) - (1050mA = 2-48V) | 124 | 79 | 22 | 84 | € 54,05 |
| 122204GST | DRIVER MP50 50W 350-1050mA FO (350mA = 2-74V) - (1050mA = 2-48V) P&P + GST | 124 | 79 | 22 | 84 | € 67,05 |

| Fase dim | | | | | | |
|--------------|--|-----|----|----|----|----------|
| 127106 | DRIVER Micro Mains Dim AM 180 6W 180mA (28-36V) | 102 | 38 | 21 | 42 | € 23,80 |
| 127556 | DRIVER Mains Dim PWM 20W 250-900mA (250mA = 15-48V) - (900mA = 5-22V) | 111 | 52 | 22 | 55 | € 40,25 |
| 127556GST | DRIVER Mains Dim PWM 20W 250-900mA (250mA = 15-48V) - (900mA = 5-22V) P&P + GST | 111 | 52 | 22 | 55 | € 53,25 |
| 127102 | DRIVER Puma Mains Dim AM 11-20W 250-900mA (250mA = 7-44V) - (900mA = 7-22V) | 140 | 38 | 27 | 48 | € 38,40 |
| 127102GST | DRIVER Puma Mains Dim AM 11-20W 250-900mA (250mA = 7-44V) - (900mA = 7-22V) P&P + GST | 140 | 38 | 27 | 48 | € 51,40 |
| 122282 | DRIVER Mains Dim PWM 7.2 - 24W 150-500mA (2-48V) | 166 | 46 | 34 | 56 | € 63,25 |
| Dali | | | | | | |
| 151403 | DRIVER MINI JOLLY DALI AM 20W 250-700mA (250mA = 15-48V) - (700mA = 3-28V) | 111 | 52 | 22 | 55 | € 56,65 |
| 151403GSTPPB | DRIVER MINI JOLLY DALI AM 20W 250-700mA (250mA = 15-48V) - (700mA = 3-28V) P&P GST Spotlig PB | 111 | 52 | 22 | 55 | € 82,65 |
| 127600 | Driver PF22D DALI AM 22W 125-500mA (10-44V) | 147 | 44 | 22 | 50 | € 51,94 |
| 127600GSTPPB | Driver PF22D DALI AM 22W 125-500mA (10-44V) P&P + GST Spotlig PB | 147 | 44 | 22 | 50 | € 77,94 |
| 127490 | Driver P38D DALI AM 38W 300-1050mA (300mA = 10-54V) - (1050mA = 10-36V) | 147 | 44 | 30 | 54 | € 54,54 |
| 127490GSTPPB | Driver P38D DALI AM 38W 300-1050mA (300mA = 10-54V) - (1050mA = 10-36V) P&P GST Spotlig BP | 147 | 44 | 30 | 54 | € 80,54 |
| 151504 | DRIVER JS0D DALI1-10V/PUSH AM 50W 350-1200mA (350mA = 10-53V) - (1200mA = 10-41V) | 124 | 79 | 22 | 84 | € 94,25 |
| 151504GSTPPB | DRIVER JS0D DALI1-10V/PUSH AM 50W 350-1200mA (350mA = 10-53V) - (1200mA = 10-41V) P&P + GST Spotlig PB | 124 | 79 | 22 | 84 | € 110,25 |
| 151413 | DRIVER MAXI JOLLY DALI1-10V/PUSH AM 60W 350-1050mA (350mA = 2-74V) - (1050mA = 2-57V) | 124 | 79 | 22 | 84 | € 84,25 |
| 151413GSTPPB | DRIVER MAXI JOLLY DALI1-10V/PUSH AM 60W 350-1050mA (350mA = 2-74V) - (1050mA = 2-57V) P&P + GST Spotlig PB | 124 | 79 | 22 | 84 | € 110,25 |

Drivers Constant Voltage

| Code nummer | Code omschrijving | L | B | H | gatmaat | Bruto prijs |
|-------------|---|-----|------|------|---------|-------------|
| Aan/uit | | | | | | |
| WL30048 | Driver FO 24VDC 8W (APV 8-24) | 60 | 30 | 23,5 | 40 | € 19,76 |
| WL30052 | Driver FO 24VDC 12W (APV 12-24) | 90 | 40 | 29 | 52 | € 20,52 |
| WL30001 | Driver FO 24Vdc 20W IP67 (LPV-20-24) | 118 | 35 | 26 | 46 | € 33,96 |
| WL30061 | Driver FO 24VDC 24W IP67 (VTS 24-24) | 118 | 35 | 26 | 46 | € 35,15 |
| WL30002 | Driver FO 24VDC 39W IP67 (LPV-35-24) | 148 | 40 | 30 | 52 | € 49,20 |
| WL30003 | Driver FO 24VDC 60W IP67 (LPV-60-24) | 163 | 43 | 32 | 58 | € 51,90 |
| WL30062 | Driver FO 24VDC 60W Linear | 300 | 30 | 16 | 38 | € 53,28 |
| WL30066 | Driver FO 24VDC 90W FLAT | 190 | 65 | 22 | 72 | € 82,60 |
| WL30075 | Driver FO 24VDC 120W FLAT | 253 | 42,5 | 31 | 58 | € 85,00 |
| WL30050 | Driver FO 24VDC 200W IP65 (ELG-200-24B) | 244 | 71 | 37,5 | 84 | € 157,36 |
| WL30032 | Driver FO 24VDC 240W IP67 (ELG-240-24) | 244 | 71 | 35,5 | 84 | € 136,20 |
| Fase dim | | | | | | |
| WL30068 | Driver 24VDC 25W Triac dimbaar | 128 | 52 | 30 | 64 | € 74,00 |
| WL30059 | Driver 24VDC 50W Triac dimbaar | 184 | 61 | 32 | 72 | € 100,00 |
| WL30067 | Driver 24VDC 100W Triac dimbaar | 210 | 67 | 34 | 84 | € 228,00 |
| WL30071 | Driver 24VDC 150W Triac dimbaar | 210 | 67 | 34 | 84 | € 241,20 |
| Dali | | | | | | |
| WL30057 | Driver DALI 24VDC 18W IP20 | 175 | 34 | 30 | 48 | € 143,60 |
| WL30058 | Driver DALI 24VDC 35W IP20 | 195 | 43 | 32 | 60 | € 174,00 |
| WL30037 | Driver DALI 24VDC 45W IP20 | 168 | 38 | 30 | 60 | € 112,44 |
| WL30063 | Driver DALI 24VDC 60W IP67 DIMBAAR TOT 0.2% (PWM-60-24DA) | 150 | 53 | 35 | 70 | € 132,00 |
| WL30064 | Driver DALI 24VDC 90W IP67 DIMBAAR TOT 0.2% (PWM-90-24DA) | 171 | 63 | 38 | 84 | € 179,00 |
| WL30010 | Driver DALI 24VDC 75W IP65 (ELG-75-24DA) | 180 | 63 | 36 | 84 | € 126,00 |
| WL30011 | Driver DALI 24VDC 100W IP65 (ELG-100-24DA) | 259 | 93 | 52 | 110 | € 145,92 |
| WL30012 | Driver DALI 24VDC 150W IP65 (ELG-150-24DA) | 219 | 63 | 38 | 84 | € 163,96 |
| WL30022 | Driver DALI 24VDC 200W IP65 (ELG-200-24DA) | 244 | 71 | 38 | 84 | € 187,56 |
| WL30065 | Driver DALI 24VDC 200W IP67 DIMBAAR TOT 0.2% (PWM-200-24DA) | 195 | 68 | 40 | 84 | € 240,00 |
| WL30013 | Driver DALI 24V 240W IP65 (ELG-240-24DA) | 303 | 95 | 52 | 110 | € 207,00 |

GST snoeren en toebehoren

| Code nummer | Code omschrijving | Bruto prijs |
|-------------|---|-------------|
| R62 | Aansluitsnoer randaarde stekker 2.0 meter 3x0.75mm ² | 5,00 |
| HE-31102001 | Aansluitsnoer eurostekker 2.0 meter 2x0.75mm ² | 6,19 |
| 1804552 | AC 166 ALCGS/3075 200 aansluitsnoer male zwart 3x0.75mm ² 2.0 meter | 8,70 |
| 1804581 | AC 166 ALCGS/315 200 aansluitsnoer male zwart 3x1.5mm ² 2.0 meter | 10,70 |
| 1805072 | AC 166 ALCGS/3-2075 050 aansluitsnoer male/zw. LV9 Eca 2x0.75mm ² 0,5meter | 5,72 |
| 1805018 | AC 166 ALCGS/5075 050 aansluitsnoer male pastelbl. Eca 5x0.75mm ² 0,5meter | 15,75 |
| 1804540 | Vergrendelingen VSF t.b.v. steker plat zwart | 0,69 |
| 1804714 | AC 166 NLCGB/315 200 netsnoer female zwart 2 meter | 14,45 |
| 1804715 | AC 166 NLCGB/315 300 netsnoer female zwart 3 meter | 17,15 |
| 1805601 | AC 166 GVT 3/ 3 t-verdeler zwart | 6,43 |
| 1805037 | Splitter, 5-polig, 1 in 2 uit pastelblauw, dali | 10,85 |
| 1804614 | AC 166 VLGC/315 200 koppelsnoer zwart 2 meter | 13,80 |
| 1804615 | AC 166 VLGC/315 300 koppelsnoer zwart 3 meter | 16,60 |

| | | | |
|---------|---|---|-------|
| 1804616 | AC 166 VLCG/315 400 koppelsnoer zwart 4 meter | € | 19,25 |
|---------|---|---|-------|

opbouw/inbouw frames

| Code nummer | Code omschrijving | | Bruto prijs |
|------------------------|--|-------------|-------------|
| 11540000121 | 106 PL ceiling frame 595x595 mm white | € | 25,94 |
| 11540000131 | 106 PL ceiling frame 300x1200 mm white | € | 31,14 |
| 11540000110 | 106 PL mounting spring set for plaster ceilings | € | 4,18 |
| <hr/> | | | |
| Code nummer | Code omschrijving | | |
| 100MPR.FRAME.6060 | Opbouwframe voor LEDpaneel 60x60 | € | 87,00 |
| 100MPR.FRAME.12030 | Opbouwframe voor LEDpaneel 120x30 | € | 102,00 |
| <hr/> | | | |
| 100MPR.INFRAME.6060 | Inbouwframe voor LEDpaneel 60x60 | € | 66,00 |
| 100MPR.INFRAME.12030 | Inbouwframe voor LEDpaneel 120x30 | € | 74,00 |
| <hr/> | | | |
| 106OPNA.FRAME | 106WL LED OPBOUW FRAME 600x600 H143mm | € | 103,00 |
| 106OPNA.FRAME1200 | 106 WL LED OPBOUW FRAME 1200x300 | € | 114,00 |
| <hr/> | | | |
| WL.PASFRAME.600NAAR625 | WL LED Pasframe 600 naar 625 | € | 16,65 |
| <hr/> | | | |
| Code nummer | Code omschrijving | | Bruto prijs |
| 64.001.250 | Plaat-0 250 mounting plate Orange Ø76-200mm 25 pcs | op aanvraag | |

Belangrijke informatie;

De in deze pocket opgenomen artikelen zijn slechts een klein deel van ons totale programma. Kijk voor het totaalaanbod op onze website of vraag ons om onze uitgebreide catalogi.

Alle maten zijn weergegeven in millimeters, tenzij anders vermeld. Alle prijzen zijn bruto exclusief BTW, exclusief wettelijke verwijderingsbijdrage en bij GU10 armaturen exclusief lichtbronnen.

Niets uit deze uitgave mag zonder voorafgaande schriftelijke toestemming van leverancier verveelvoudigd en/of openbaar worden gemaakt door middel van druk, offset, fotokopie of microfilm of in enige digitale, elektronische, optische of andere vorm of (en dit geldt zo nodig in aanvulling op het auteursrecht) het reproduceren ten behoeve van een onderneming, organisatie of instelling of voor eigen oefening, studie of gebruik welk(e) niet strikt privé van aard is of voor het overnemen in enig dag-, nieuws- of weekblad of tijdschrift (al of niet in digitale vorm of online) of in een RTV- uitzending.

Bij het samenstellen van deze pocket is de grootste zorg besteed aan de juistheid van de hierin opgenomen informatie. Leverancier kan echter niet verantwoordelijk worden gehouden voor enige onjuistheid in de verstrekte informatie. Leverancier behoudt zich het recht voor wijzigingen aan te brengen zonder voorafgaand bericht. Druk- en zetfouten voorbehouden